



**CAPRAL**

# Cyclonic Solutions

Updated and tested to comply with  
AS1170.2 - 2011 requirements

# CAPRAL

# Cyclonic Solutions

Not all windows and doors perform equally. Cyclonic conditions demand specialised products tested and proven to withstand some of the highest pressure, impact and water performance requirements. With over 70 years experience in designing and supplying products for Australian conditions, Capral continues its significant investment in research and development with a committed team of professionals in its Technology Solutions Group who use NATA accredited testing facilities to support our range of cyclonically rated products. So for your next project, call Capral to discuss your requirements with an industry professional.

Tested product	SLS	ULS+	ULS-	Water	Impact*	WERS*	Acoustic*
Sliding Door - 900 Series	4.5kPa	10.5kPa	10.5kPa	700Pa	✓	✓	✓
Sliding Window - 950 Series	6.0kPa	10.0kPa	9.0kPa	600Pa	✓	✓	✓
Awning Window - Euro/419	4.5kPa	10.5kPa	12.5kPa	1200Pa	✓	✓	✓
Fixed Light 419 Series	5.7kPa	10.0kPa	12.5kPa	1200Pa	✓	✓	✓
Fixed Light 400 Series	5.2kPa	10.3kPa	10.3kPa	1505Pa	✓	✓	✓

\* Structural members and glass types used in respective testing may vary, please confirm exact specifications with your local Capral representative.

## Technical Support

Capral products are backed by a highly experienced design and engineering team and comprehensive technical documentation and support.

Due to the specialised nature of cyclonic applications, Capral's technical specifications should be interpreted by a suitably qualified person or alternatively, specific requirement should be referred to Capral for verification of product suitability.

Subject to application and approval, Capral is also able to custom design and test products for project specific solutions.



### WA Contact details:

ph 08 9302 8500  
fx 08 9302 4390  
17 Inspiration Drive  
Wangara WA 6055

### NQ Contact details:

ph 07 4724 6100  
fx 07 7424 6111  
303 Woolcock St  
Garbutt QLD 4814

### NT Contact details:

ph 08 8984 4211  
fx 08 8947 0107  
8 Mataram St  
Winnellie NT 0820