



Ventus Louvre Ordering Charts

Version 1.2 (12-2025)



INDEX

Index	2
Blade Retention, Fall Prevention & Top Clip Loose	3
Ventus Louvres Part Number System	4
Capral Aluminium Extrusion Profiles	5
Ventus Louvre Loc	6
Louvre Controls Options	7

152 SERIES	8
152 Series - Black	8
152 Series - White	17
152 Series - Silver	26
152 Series - Monument	35
152 Series - Surfmist	44
152 Series - Clear Anodised	53

USEFUL LINKS

capral.com.au/our-systems/windows/louvre/

doric.com.au/ventus/downloads/


doric.com.au/ventus/louvres-galleries/

102 SERIES	62
102 Series - Black	62
102 Series - White	71
102 Series - Silver	80
102 Series - Monument	89
102 Series - Surfmist	98
102 Series - Clear Anodised	107

BLADE RETENTION, FALL PREVENTION & TOP CLIP LOOSE


STRONG CLIP

BLADE RETENTION




Ventus Louvre Galleries do not require strong hold systems. The Ventus Louvre Clips have been designed to achieve higher blade retention and provide better design flexibility in buildings. No pins or holes in glass required.

FALL PREVENTION



TOP CLIP LOOSE

102mm Top Clip Loose




102mm Regular



152mm Top Clip Loose




152mm Regular



VENTUS LOUVRES PART NUMBER SYSTEM

LVRG	Louvre Gallery	152/102	152mm or 102mm Height of Louvre Blade	L	Low Profile Handle
00	Number of Blade Gallery (02, 03, 04, 05)	BLK	Black	R	Ring Pull
RN	Right Hand no Holes	SLV	Silver	A	Automated Louvre Gallery
LN	Left Hand no Holes	WHT	White		
N	No Holes (used with Dual and Auto control)	MON	Monument	MLVR	Custom Gallery 152
TCL	Top Clip Loose	CLR ANO	Clear Anodised	MLVR	Custom Gallery 102
K	Keyed Lock	CST	Custom		
R	Restricted				

Item Number Description




CAPRAL ALUMINIUM EXTRUSION PROFILES

FOR ALL ADDITIONAL LOUVRE COMPONENTRY, PLEASE REFER TO THE TECHNICAL MANUAL


EP7599

PLANT ON
WEATHER STRIP
Paint Perimeter: 147mm
Anodised Perimeter: 186mm




EP8598

BLADE CARRIER
Paint Perimeter: 100mm
Anodised Perimeter: 140mm




320622

LOUVRE SEAL
(102 & 152MM GALLERIES)
4m Length - Black
(SPD04476)



EP17523

COMMERCIAL
LOUVRE ADAPTOR
Paint Perimeter: N/A
Anodised Perimeter: 100mm




316036

SMALL CO-EXT BULB SEAL
250m ROLL
(SC111/4)




EP21530

102mm FLAT
ALUMINIUM BLADE
Paint Perimeter: 226mm
Anodised Perimeter: 226mm



EP17844

152mm FLAT
ALUMINIUM BLADE
Paint Perimeter: 326mm
Anodised Perimeter: 326mm



VENTUS LOUVRE LOC

152mm SERIES LOUVRE LOC

The 152mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.

COMPATIBLE HANDLES:

- Low Profile
- Ring Pull



**GALLERY CLOSED
LOCKED POSITION
SNIB KEY IN**

**GALLERY CLOSED
UNLOCKED POSITION
SNIB KEY OUT**

**GALLERY OPEN
UNLOCKED POSITION
SNIB KEY IN**

INSTRUCTION SHEETS INCLUDED WITH LOCKS

102mm SERIES LOUVRE LOC

For the 102mm Series Louvre, the Louvre Lock is fitted below the handle. When engaged, the locking arm slides up to obstruct and lock the handle.

COMPATIBLE HANDLES:

- Low Profile
- Ring Pull



**GALLERY CLOSED
LOCKED POSITION
SNIB KEY IN**

**GALLERY CLOSED
UNLOCKED POSITION
SNIB KEY OUT**

**GALLERY OPEN
UNLOCKED POSITION
SNIB KEY IN**

INSTRUCTION SHEETS INCLUDED WITH LOCKS

LOUVRE CONTROLS OPTIONS

MANUAL



LOW PROFILE HANDLE

Providing the user an option for a Low profile handle and ring pull in one. This handle is perfectly suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate.

Recommended blade spans of up to **900mm**.



RING PULL HANDLE

The perfect choice for the high and hard to reach galleries, Ring Pull can be operated by hand or an extension pole.

Recommended blade spans of up to **900mm**.


AUTOMATED



AUTO LOUVRES

The Auto Louvre system allows users to open and close the Louvres with a remote, wall switch or Cbus/BMS connection. The motor is hidden in the Gallery framing and connected by a plug and play control unit powered by a 24V DC power pack.


Recommended blade spans of up to **900mm**.



8 Channel Controller



2 Pin Plugs
(Power and Motors)



1 Channel Controller



4 Pin Plugs
(Accessories)

VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

**HANDLE:
LOW PROFILE**

**COLOUR: HANDLE, TRIM & GALLERY
BLACK**

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	324222	324226	324343	324362
20	2840mm	324221	324225	324342	324361
19	2700mm	324220	324224	324341	324360
18	2560mm	324219	324223	324340	324359
17	2420mm	321208	321224	324339	324358
16	2280mm	324216	321223	324550	324357
15	2140mm	321206	321222	324338	324356
14	2000mm	321205	321221	324337	324355
13	1860mm	321204	321220	324336	324354
12	1720mm	321203	321219	324335	324353
11	1580mm	321202	321218	324334	324352
10	1440mm	321201	321217	324333	324351
9	1300mm	321200	321216	324332	324350
8	1160mm	321199	321215	324331	324349
7	1020mm	321198	321214	324330	324348
6	880mm	321197	321213	324329	324347
5	740mm	321196	321212	324328	324346
4	600mm	321195	321211	324327	324345
3	460mm	324215	321210	324549	324344
2	320mm	321193	321209	N/A	N/A

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever, blade clips and trim is: Black



LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



Left Hand



Right Hand

TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
BLACK

LOCKING

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	327837	327857	327876	327895
20	2840mm	327836	327856	327875	327894
19	2700mm	327835	327855	327874	327893
18	2560mm	327834	327854	327873	327892
17	2420mm	327833	327853	327872	327891
16	2280mm	327832	327852	327871	327890
15	2140mm	327831	327851	327870	327889
14	2000mm	327830	327850	327869	327888
13	1860mm	327829	327849	327868	327887
12	1720mm	327828	327848	327867	327886
11	1580mm	327827	327847	327866	327885
10	1440mm	327826	327846	327865	327884
9	1300mm	327825	327845	327864	327883
8	1160mm	327824	327844	327863	327882
7	1020mm	327823	327843	327862	327881
6	880mm	327822	327842	327861	327880
5	740mm	327821	327841	327860	327879
4	600mm	327810	327840	327859	327878
3	460mm	327809	327839	327858	327877
2	320mm	327808	327838	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 152mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Black




LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

**HANDLE:
LOW PROFILE**

**COLOUR: HANDLE, TRIM & GALLERY
BLACK**

RESTRICTION

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	327915	327935	327954	327973
20	2840mm	327914	327934	327953	327972
19	2700mm	327913	327933	327952	327971
18	2560mm	327912	327932	327951	327970
17	2420mm	327911	327931	327950	327969
16	2280mm	327910	327930	327949	327968
15	2140mm	327909	327929	327948	327967
14	2000mm	327908	327928	327947	327966
13	1860mm	327907	327927	327946	327965
12	1720mm	327906	327926	327945	327964
11	1580mm	327905	327925	327944	327963
10	1440mm	327904	327924	327943	327962
9	1300mm	327903	327923	327942	327961
8	1160mm	327902	327922	327941	327960
7	1020mm	327901	327921	327940	327959
6	880mm	327900	327920	327939	327958
5	740mm	327899	327919	327938	327957
4	600mm	327898	327918	327937	327956
3	460mm	327897	327917	327936	327955
2	320mm	327896	327916	N/A	N/A

NON-STOCKED ITEMS

RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Black




LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
BLACK

LOCKING + RESTRICTED

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	327993	328013	328032	328051
20	2840mm	327992	328012	328031	328050
19	2700mm	327991	328011	328030	328049
18	2560mm	327990	328010	328029	328048
17	2420mm	327989	328009	328028	328047
16	2280mm	327988	328008	328027	328046
15	2140mm	327987	328007	328026	328045
14	2000mm	327986	328006	328025	328044
13	1860mm	327985	328005	328024	328043
12	1720mm	327984	328004	328023	328042
11	1580mm	327983	328003	328022	328041
10	1440mm	327982	328002	328021	328040
9	1300mm	327981	328001	328020	328039
8	1160mm	327980	328000	328019	328038
7	1020mm	327979	327999	328018	328037
6	880mm	327978	327998	328017	328036
5	740mm	327977	327997	328016	328035
4	600mm	327976	327996	328015	328034
3	460mm	327975	327995	328014	328033
2	320mm	327974	327994	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 152mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Black




LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

**HANDLE:
RING PULL**

**COLOUR: HANDLE, TRIM & GALLERY
BLACK**

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	328069	328089	328108	328127
20	2840mm	328068	328088	328107	328126
19	2700mm	328067	328087	328106	328125
18	2560mm	328066	328086	328105	328124
17	2420mm	328065	328085	328104	328123
16	2280mm	321207	328084	328103	328122
15	2140mm	328064	328083	328102	328121
14	2000mm	328063	328082	328101	328120
13	1860mm	328062	328081	328100	328119
12	1720mm	328061	328080	328099	328118
11	1580mm	328060	328079	328098	328117
10	1440mm	328059	328078	328097	328116
9	1300mm	328058	328077	328096	328115
8	1160mm	328057	328076	328095	328114
7	1020mm	328056	328075	328094	328113
6	880mm	328055	328074	328093	328112
5	740mm	328054	328073	328092	328111
4	600mm	328053	328072	328091	328110
3	460mm	321194	328071	328090	328109
2	320mm	328052	328070	N/A	N/A

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever, blade clips and trim is: Black



RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

**HANDLE:
RING PULL**

**COLOUR: HANDLE, TRIM & GALLERY
BLACK**

LOCKING

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	328147	328167	328186	328205
20	2840mm	328146	328166	328185	328204
19	2700mm	328145	328165	328184	328203
18	2560mm	328144	328164	328183	328202
17	2420mm	328143	328163	328182	328201
16	2280mm	328142	328162	328181	328200
15	2140mm	328141	328161	328180	328199
14	2000mm	328140	328160	328179	328198
13	1860mm	328139	328159	328178	328197
12	1720mm	328138	328158	328177	328196
11	1580mm	328137	328157	328176	328195
10	1440mm	328136	328156	328175	328194
9	1300mm	328135	328155	328174	328193
8	1160mm	328134	328154	328173	328192
7	1020mm	328133	328153	328172	328191
6	880mm	328132	328152	328171	328190
5	740mm	328131	328151	328170	328189
4	600mm	328130	328150	328169	328188
3	460mm	328129	328149	328168	328187
2	320mm	328128	328148	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 152mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Black




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

**HANDLE:
RING PULL**

**COLOUR: HANDLE, TRIM & GALLERY
BLACK**

RESTRICTION

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	328225	328245	328264	328283
20	2840mm	328224	328244	328263	328282
19	2700mm	328223	328243	328262	328281
18	2560mm	328222	328242	328261	328280
17	2420mm	328221	328241	328260	328279
16	2280mm	328220	328240	328259	328278
15	2140mm	328219	328239	328258	328277
14	2000mm	328218	328238	328257	328276
13	1860mm	328217	328237	328256	328275
12	1720mm	328216	328236	328255	328274
11	1580mm	328215	328235	328254	328273
10	1440mm	328214	328234	328253	328272
9	1300mm	328213	328233	328252	328271
8	1160mm	328212	328232	328251	328270
7	1020mm	328211	328231	328250	328269
6	880mm	328210	328230	328249	328268
5	740mm	328209	328229	328248	328267
4	600mm	328208	328228	328247	328266
3	460mm	328207	328227	328246	328265
2	320mm	328206	328226	N/A	N/A

NON-STOCKED ITEMS

RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Black




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

**HANDLE:
RING PULL**

**COLOUR: HANDLE, TRIM & GALLERY
BLACK**

LOCKING + RESTRICTED

			NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
					LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm		21	2980mm	328303	328323	328342	328361
20	2840mm		20	2840mm	328302	328322	328341	328360
19	2700mm		19	2700mm	328301	328321	328340	328359
18	2560mm		18	2560mm	328300	328320	328339	328358
17	2420mm		17	2420mm	328299	328319	328338	328357
16	2280mm		16	2280mm	328298	328318	328337	328356
15	2140mm		15	2140mm	328297	328317	328336	328355
14	2000mm		14	2000mm	328296	328316	328335	328354
13	1860mm		13	1860mm	328295	328315	328334	328353
12	1720mm		12	1720mm	328294	328314	328333	328352
11	1580mm		11	1580mm	328293	328313	328332	328351
10	1440mm		10	1440mm	328292	328312	328331	328350
9	1300mm		9	1300mm	328291	328311	328330	328349
8	1160mm		8	1160mm	328290	328310	328329	328348
7	1020mm		7	1020mm	328289	328309	328328	328347
6	880mm		6	880mm	328288	328308	328327	328346
5	740mm		5	740mm	328287	328307	328326	328345
4	600mm		4	600mm	328286	328306	328325	328344
3	460mm		3	460mm	328285	328305	328324	328343
2	320mm		2	320mm	328284	328304	N/A	N/A
					NON-STOCKED ITEMS			

LOCKING

The 152mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Black




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

NO. OF BLADES	GALLERY HEIGHT
21	2980mm
20	2840mm
19	2700mm
18	2560mm
17	2420mm
16	2280mm
15	2140mm
14	2000mm
13	1860mm
12	1720mm
11	1580mm
10	1440mm
9	1300mm
8	1160mm
7	1020mm
6	880mm
5	740mm
4	600mm
3	460mm
2	320mm

**152
SERIES**

**HANDLE:
AUTO**

**COLOUR: HANDLE, TRIM & GALLERY
BLACK**

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries	Galleries with TCL
		LH No Holes	LH No Holes
21	2980mm	325495	325514
20	2840mm	325494	325513
19	2700mm	325493	325512
18	2560mm	325492	325511
17	2420mm	321255	325510
16	2280mm	321254	325509
15	2140mm	321253	325508
14	2000mm	321252	325507
13	1860mm	321251	325506
12	1720mm	321250	325505
11	1580mm	321249	325504
10	1440mm	321248	325503
9	1300mm	321247	325502
8	1160mm	321246	325501
7	1020mm	321245	325500
6	880mm	321244	325499
5	740mm	321243	322512
4	600mm	321242	325497
3	460mm	321241	325496
2	320mm	N/A	N/A

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever, blade clips and trim is: Black



AUTO LOUVRE

Hidden within the gallery framing the Auto Louvre powered and controlled by a 24V DC plug and play control unit allows users to open and close the Louvres with a press of a button. Motor is always on left hand side.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
WHITE

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	324230	324234	324379	324398
20	2840mm	324229	324233	324378	324397
19	2700mm	324228	324232	324377	324396
18	2560mm	324227	324231	324376	324395
17	2420mm	321398	321414	324375	324394
16	2280mm	321397	321413	324552	324393
15	2140mm	321396	321412	324374	324392
14	2000mm	321395	321411	324373	324391
13	1860mm	321394	321410	324372	324390
12	1720mm	321393	321409	324371	324389
11	1580mm	321392	321408	324370	324388
10	1440mm	321391	321407	324369	324387
9	1300mm	321390	321406	324368	324386
8	1160mm	321389	321405	324367	324385
7	1020mm	321388	321404	324366	324384
6	880mm	321387	321403	324365	324383
5	740mm	321386	321402	324364	324382
4	600mm	321385	321401	324363	324381
3	460mm	321384	321400	324551	324380
2	320mm	321383	321399	N/A	N/A

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever, blade clips and trim is: White



LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
WHITE

LOCKING

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	328381	328401	328420	328439
20	2840mm	328380	328400	328419	328438
19	2700mm	328379	328399	328418	328437
18	2560mm	328378	328398	328417	328436
17	2420mm	328377	328397	328416	328435
16	2280mm	328376	328396	328415	328434
15	2140mm	328375	328395	328414	328433
14	2000mm	328374	328394	328413	328432
13	1860mm	328373	328393	328412	328431
12	1720mm	328372	328392	328411	328430
11	1580mm	328371	328391	328410	328429
10	1440mm	328370	328390	328409	328428
9	1300mm	328369	328389	328408	328427
8	1160mm	328368	328388	328407	328426
7	1020mm	328367	328387	328406	328425
6	880mm	328366	328386	328405	328424
5	740mm	328365	328385	328404	328423
4	600mm	328364	328384	328403	328422
3	460mm	328363	328383	328402	328421
2	320mm	328362	328382	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 152mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



COLOUR & TRIM

The handle/lever, blade clips and trim is: White




LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
WHITE

RESTRICTION

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	328459	328479	328498	328517
20	2840mm	328458	328478	328497	328516
19	2700mm	328457	328477	328496	328515
18	2560mm	328456	328476	328495	328514
17	2420mm	328455	328475	328494	328513
16	2280mm	328454	328474	328493	328512
15	2140mm	328453	328473	328492	328511
14	2000mm	328452	328472	328491	328510
13	1860mm	328451	328471	328490	328509
12	1720mm	328450	328470	328489	328508
11	1580mm	328449	328469	328488	328507
10	1440mm	328448	328468	328487	328506
9	1300mm	328447	328467	328486	328505
8	1160mm	328446	328466	328485	328504
7	1020mm	328445	328465	328484	328503
6	880mm	328444	328464	328483	328502
5	740mm	328443	328463	328482	328501
4	600mm	328442	328462	328481	328500
3	460mm	328441	328461	328480	328499
2	320mm	328440	328460	N/A	N/A

NON-STOCKED ITEMS

RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: White




LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
WHITE

LOCKING + RESTRICTED

			NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
					LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm		21	2980mm	328537	328557	328576	328595
20	2840mm		20	2840mm	328536	328556	328575	328594
19	2700mm		19	2700mm	328535	328555	328574	328593
18	2560mm		18	2560mm	328534	328554	328573	328592
17	2420mm		17	2420mm	328533	328553	328572	328591
16	2280mm		16	2280mm	328532	328552	328571	328590
15	2140mm		15	2140mm	328531	328551	328570	328589
14	2000mm		14	2000mm	328530	328550	328569	328588
13	1860mm		13	1860mm	328529	328549	328568	328587
12	1720mm		12	1720mm	328528	328548	328567	328586
11	1580mm		11	1580mm	328527	328547	328566	328585
10	1440mm		10	1440mm	328526	328546	328565	328584
9	1300mm		9	1300mm	328525	328545	328564	328583
8	1160mm		8	1160mm	328524	328544	328563	328582
7	1020mm		7	1020mm	328523	328543	328562	328581
6	880mm		6	880mm	328522	328542	328561	328580
5	740mm		5	740mm	328521	328541	328560	328579
4	600mm		4	600mm	328520	328540	328559	328578
3	460mm		3	460mm	328519	328539	328558	328577
2	320mm		2	320mm	328518	328538	N/A	N/A
					NON-STOCKED ITEMS			

LOCKING

The 152mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: White




LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
RING PULL

COLOUR: HANDLE, TRIM & GALLERY
WHITE

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	328615	328635	328654	328673
20	2840mm	328614	328634	328653	328672
19	2700mm	328613	328633	328652	328671
18	2560mm	328612	328632	328651	328670
17	2420mm	328611	328631	328650	328669
16	2280mm	328610	328630	328649	328668
15	2140mm	328609	328629	328648	328667
14	2000mm	328608	328628	328647	328666
13	1860mm	328607	328627	328646	328665
12	1720mm	328606	328626	328645	328664
11	1580mm	328605	328625	328644	328663
10	1440mm	328604	328624	328643	328662
9	1300mm	328603	328623	328642	328661
8	1160mm	328602	328622	328641	328660
7	1020mm	328601	328621	328640	328659
6	880mm	328600	328620	328639	328658
5	740mm	328599	328619	328638	328657
4	600mm	328598	328618	328637	328656
3	460mm	328597	328617	328636	328655
2	320mm	328596	328616	N/A	N/A

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever, blade clips and trim is: White




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
RING PULL

COLOUR: HANDLE, TRIM & GALLERY
WHITE

LOCKING

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	328693	328713	328732	328751
20	2840mm	328692	328712	328731	328750
19	2700mm	328691	328711	328730	328749
18	2560mm	328690	328710	328729	328748
17	2420mm	328689	328709	328728	328747
16	2280mm	328688	328708	328727	328746
15	2140mm	328687	328707	328726	328745
14	2000mm	328686	328706	328725	328744
13	1860mm	328685	328705	328724	328743
12	1720mm	328684	328704	328723	328742
11	1580mm	328683	328703	328722	328741
10	1440mm	328682	328702	328721	328740
9	1300mm	328681	328701	328720	328739
8	1160mm	328680	328700	328719	328738
7	1020mm	328679	328699	328718	328737
6	880mm	328678	328698	328717	328736
5	740mm	328677	328697	328716	328735
4	600mm	328676	328696	328715	328734
3	460mm	328675	328695	328714	328733
2	320mm	328674	328694	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 152mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



COLOUR & TRIM

The handle/lever, blade clips and trim is: White




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
RING PULL

COLOUR: HANDLE, TRIM & GALLERY
WHITE

RESTRICTION

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries				Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	328771	328791	328810	328829		
20	2840mm	328770	328790	328809	328828		
19	2700mm	328769	328789	328808	328827		
18	2560mm	328768	328788	328807	328826		
17	2420mm	328767	328787	328806	328825		
16	2280mm	328766	328786	328805	328824		
15	2140mm	328765	328785	328804	328823		
14	2000mm	328764	328784	328803	328822		
13	1860mm	328763	328783	328802	328821		
12	1720mm	328762	328782	328801	328820		
11	1580mm	328761	328781	328800	328819		
10	1440mm	328760	328780	328799	328818		
9	1300mm	328759	328779	328798	328817		
8	1160mm	328758	328778	328797	328816		
7	1020mm	328757	328777	328796	328815		
6	880mm	328756	328776	328795	328814		
5	740mm	328755	328775	328794	328813		
4	600mm	328754	328774	328793	328812		
3	460mm	328753	328773	328792	328811		
2	320mm	328752	328772	N/A	N/A		

NON-STOCKED ITEMS

RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: White




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
RING PULL

COLOUR: HANDLE, TRIM & GALLERY

WHITE

LOCKING + RESTRICTED

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	328849	328869	328888	328907
20	2840mm	328848	328868	328887	328906
19	2700mm	328847	328867	328886	328905
18	2560mm	328846	328866	328885	328904
17	2420mm	328845	328865	328884	328903
16	2280mm	328844	328864	328883	328902
15	2140mm	328843	328863	328882	328901
14	2000mm	328842	328862	328881	328900
13	1860mm	328841	328861	328880	328899
12	1720mm	328840	328860	328879	328898
11	1580mm	328839	328859	328878	328897
10	1440mm	328838	328858	328877	328896
9	1300mm	328837	328857	328876	328895
8	1160mm	328836	328856	328875	328894
7	1020mm	328835	328855	328874	328893
6	880mm	328834	328854	328873	328892
5	740mm	328833	328853	328872	328891
4	600mm	328832	328852	328871	328890
3	460mm	328831	328851	328870	328889
2	320mm	328830	328850	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 152mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: White




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
AUTO

COLOUR: HANDLE, TRIM & GALLERY
WHITE

NO. OF BLADES	GALLERY HEIGHT
21	2980mm
20	2840mm
19	2700mm
18	2560mm
17	2420mm
16	2280mm
15	2140mm
14	2000mm
13	1860mm
12	1720mm
11	1580mm
10	1440mm
9	1300mm
8	1160mm
7	1020mm
6	880mm
5	740mm
4	600mm
3	460mm
2	320mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries	Galleries with TCL
		LH No Holes	LH No Holes
21	2980mm	325518	325537
20	2840mm	325517	325536
19	2700mm	325516	325535
18	2560mm	325515	325534
17	2420mm	321445	325533
16	2280mm	321444	325532
15	2140mm	321443	325531
14	2000mm	321442	325530
13	1860mm	321441	325529
12	1720mm	321440	325528
11	1580mm	321439	325527
10	1440mm	321438	325526
9	1300mm	321437	325525
8	1160mm	321436	325524
7	1020mm	321435	325523
6	880mm	321434	325522
5	740mm	321433	325521
4	600mm	321432	325520
3	460mm	321431	325519
2	320mm		

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever, blade clips and trim is: White



AUTO LOUVRE

Hidden within the gallery framing the Auto Louvre powered and controlled by a 24V DC plug and play control unit allows users to open and close the Louvres with a press of a button. Motor is always on left hand side.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
SILVER

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	324238	324242	324415	324434
20	2840mm	324237	324241	324414	324433
19	2700mm	324236	324240	324413	324432
18	2560mm	324235	324239	324412	324431
17	2420mm	321303	321319	324411	324430
16	2280mm	321302	321318	324554	324429
15	2140mm	321301	321317	324410	324428
14	2000mm	321300	321316	324409	324427
13	1860mm	321299	321315	324408	324426
12	1720mm	321298	321314	324407	324425
11	1580mm	321297	321313	324406	324424
10	1440mm	321296	321312	324405	324423
9	1300mm	321295	321311	324404	324422
8	1160mm	321294	321310	324403	324421
7	1020mm	321293	321309	324402	324420
6	880mm	321292	321308	324401	324419
5	740mm	321291	321307	324400	324418
4	600mm	321290	321306	324399	324417
3	460mm	321289	321305	324553	324416
2	320mm	321288	321304	N/A	N/A

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever, blade clips and trim is: Silver



LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



Left Hand



Right Hand

TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
SILVER

LOCKING

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	328927	328947	328966	328985
20	2840mm	328926	328946	328965	328984
19	2700mm	328925	328945	328964	328983
18	2560mm	328924	328944	328963	328982
17	2420mm	328923	328943	328962	328981
16	2280mm	328922	328942	328961	328980
15	2140mm	328921	328941	328960	328979
14	2000mm	328920	328940	328959	328978
13	1860mm	328919	328939	328958	328977
12	1720mm	328918	328938	328957	328976
11	1580mm	328917	328937	328956	328975
10	1440mm	328916	328936	328955	328974
9	1300mm	328915	328935	328954	328973
8	1160mm	328914	328934	328953	328972
7	1020mm	328913	328933	328952	328971
6	880mm	328912	328932	328951	328970
5	740mm	328911	328931	328950	328969
4	600mm	328910	328930	328949	328968
3	460mm	328909	328929	328948	328967
2	320mm	328908	328928	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 152mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Silver




LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
SILVER

RESTRICTION

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	329005	329025	329044	329063
20	2840mm	329004	329024	329043	329062
19	2700mm	329003	329023	329042	329061
18	2560mm	329002	329022	329041	329060
17	2420mm	329001	329021	329040	329059
16	2280mm	329000	329020	329039	329058
15	2140mm	328999	329019	329038	329057
14	2000mm	328998	329018	329037	329056
13	1860mm	328997	329017	329036	329055
12	1720mm	328996	329016	329035	329054
11	1580mm	328995	329015	329034	329053
10	1440mm	328994	329014	329033	329052
9	1300mm	328993	329013	329032	329051
8	1160mm	328992	329012	329031	329050
7	1020mm	328991	329011	329030	329049
6	880mm	328990	329010	329029	329048
5	740mm	328989	329009	329028	329047
4	600mm	328988	329008	329027	329046
3	460mm	328987	329007	329026	329045
2	320mm	328986	329006	N/A	N/A

NON-STOCKED ITEMS

RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Silver




LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
SILVER

LOCKING + RESTRICTED

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	329083	329103	329122	329141
20	2840mm	329082	329102	329121	329140
19	2700mm	329081	329101	329120	329139
18	2560mm	329080	329100	329119	329138
17	2420mm	329079	329099	329118	329137
16	2280mm	329078	329098	329117	329136
15	2140mm	329077	329097	329116	329135
14	2000mm	329076	329096	329115	329134
13	1860mm	329075	329095	329114	329133
12	1720mm	329074	329094	329113	329132
11	1580mm	329073	329093	329112	329131
10	1440mm	329072	329092	329111	329130
9	1300mm	329071	329091	329110	329129
8	1160mm	329070	329090	329109	329128
7	1020mm	329069	329089	329108	329127
6	880mm	329068	329088	329107	329126
5	740mm	329067	329087	329106	329125
4	600mm	329066	329086	329105	329124
3	460mm	329065	329085	329104	329123
2	320mm	329064	329084	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 152mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Silver




LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
RING PULL

COLOUR: HANDLE, TRIM & GALLERY
SILVER

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	329161	329181	329200	329219
20	2840mm	329160	329180	329199	329218
19	2700mm	329159	329179	329198	329217
18	2560mm	329158	329178	329197	329216
17	2420mm	329157	329177	329196	329215
16	2280mm	329156	329176	329195	329214
15	2140mm	329155	329175	329194	329213
14	2000mm	329154	329174	329193	329212
13	1860mm	329153	329173	329192	329211
12	1720mm	329152	329172	329191	329210
11	1580mm	329151	329171	329190	329209
10	1440mm	329150	329170	329189	329208
9	1300mm	329149	329169	329188	329207
8	1160mm	329148	329168	329187	329206
7	1020mm	329147	329167	329186	329205
6	880mm	329146	329166	329185	329204
5	740mm	329145	329165	329184	329203
4	600mm	329144	329164	329183	329202
3	460mm	329143	329163	329182	329201
2	320mm	329142	329162	N/A	N/A

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever, blade clips and trim is: Silver



RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



Left Hand



Right Hand

TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
RING PULL

COLOUR: HANDLE, TRIM & GALLERY
SILVER

LOCKING

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	329239	329259	329278	329297
20	2840mm	329238	329258	329277	329296
19	2700mm	329237	329257	329276	329295
18	2560mm	329236	329256	329275	329294
17	2420mm	329235	329255	329274	329293
16	2280mm	329234	329254	329273	329292
15	2140mm	329233	329253	329272	329291
14	2000mm	329232	329252	329271	329290
13	1860mm	329231	329251	329270	329289
12	1720mm	329230	329250	329269	329288
11	1580mm	329229	329249	329268	329287
10	1440mm	329228	329248	329267	329286
9	1300mm	329227	329247	329266	329285
8	1160mm	329226	329246	329265	329284
7	1020mm	329225	329245	329264	329283
6	880mm	329224	329244	329263	329282
5	740mm	329223	329243	329262	329281
4	600mm	329222	329242	329261	329280
3	460mm	329221	329241	329260	329279
2	320mm	329220	329240	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 152mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Silver




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
RING PULL

COLOUR: HANDLE, TRIM & GALLERY
SILVER

RESTRICTION

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	329317	329337	329356	329375
20	2840mm	329316	329336	329355	329374
19	2700mm	329315	329335	329354	329373
18	2560mm	329314	329334	329353	329372
17	2420mm	329313	329333	329352	329371
16	2280mm	329312	329332	329351	329370
15	2140mm	329311	329331	329350	329369
14	2000mm	329310	329330	329349	329368
13	1860mm	329309	329329	329348	329367
12	1720mm	329308	329328	329347	329366
11	1580mm	329307	329327	329346	329365
10	1440mm	329306	329326	329345	329364
9	1300mm	329305	329325	329344	329363
8	1160mm	329304	329324	329343	329362
7	1020mm	329303	329323	329342	329361
6	880mm	329302	329322	329341	329360
5	740mm	329301	329321	329340	329359
4	600mm	329300	329320	329339	329358
3	460mm	329299	329319	329338	329357
2	320mm	329298	329318	N/A	N/A

NON-STOCKED ITEMS

RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Silver




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
RING PULL

COLOUR: HANDLE, TRIM & GALLERY
SILVER

LOCKING + RESTRICTED

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	329395	329415	329434	329453
20	2840mm	329394	329414	329433	329452
19	2700mm	329393	329413	329432	329451
18	2560mm	329392	329412	329431	329450
17	2420mm	329391	329411	329430	329449
16	2280mm	329390	329410	329429	329448
15	2140mm	329389	329409	329428	329447
14	2000mm	329388	329408	329427	329446
13	1860mm	329387	329407	329426	329445
12	1720mm	329386	329406	329425	329444
11	1580mm	329385	329405	329424	329443
10	1440mm	329384	329404	329423	329442
9	1300mm	329383	329403	329422	329441
8	1160mm	329382	329402	329421	329440
7	1020mm	329381	329401	329420	329439
6	880mm	329380	329400	329419	329438
5	740mm	329379	329399	329418	329437
4	600mm	329378	329398	329417	329436
3	460mm	329377	329397	329416	329435
2	320mm	329376	329396	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 152mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Silver




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.




TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS



152 SERIES		HANDLE: AUTO	COLOUR: HANDLE, TRIM & GALLERY SILVER	
NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL
		LH No Holes	LH No Holes	LH No Holes
21	2980mm	325541	325560	325560
20	2840mm	325540	325559	325559
19	2700mm	325539	325558	325558
18	2560mm	325538	325557	325557
17	2420mm	321350	325556	325556
16	2280mm	321349	325555	325555
15	2140mm	321348	325554	325554
14	2000mm	321347	325553	325553
13	1860mm	321346	325552	325552
12	1720mm	321345	325551	325551
11	1580mm	321344	325550	325550
10	1440mm	321343	325549	325549
9	1300mm	321342	325548	325548
8	1160mm	321341	325547	325547
7	1020mm	321340	325546	325546
6	880mm	321339	325545	325545
5	740mm	321338	325544	325544
4	600mm	321337	325543	325543
3	460mm	321336	325542	325542
2	320mm			

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever, blade clips and trim is: Silver



AUTO LOUVRE

Hidden within the gallery framing the Auto Louvre powered and controlled by a 24V DC plug and play control unit allows users to open and close the Louvres with a press of a button. Motor is always on left hand side.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
MONUMENT

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	324260	324280	324451	324470
20	2840mm	324259	324279	324450	324469
19	2700mm	324258	324278	324449	324468
18	2560mm	324257	324277	324448	324467
17	2420mm	324256	324276	324447	324466
16	2280mm	324546	324275	324556	324465
15	2140mm	324255	324274	324446	324464
14	2000mm	324254	324273	324445	324463
13	1860mm	324253	324272	324444	324462
12	1720mm	324252	324271	324443	324461
11	1580mm	324251	324270	324442	324460
10	1440mm	324250	324269	324441	324459
9	1300mm	324249	324268	324440	324458
8	1160mm	324248	324267	324439	324457
7	1020mm	324247	324266	324438	324456
6	880mm	324246	324265	324437	324455
5	740mm	324245	324264	324436	324454
4	600mm	324244	324263	324435	324453
3	460mm	324545	324262	324555	324452
2	320mm	324243	324261	N/A	N/A

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever, blade clips and trim is:
Monument



LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
MONUMENT

LOCKING

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	329473	329493	329512	329531
20	2840mm	329472	329492	329511	329530
19	2700mm	329471	329491	329510	329529
18	2560mm	329470	329490	329509	329528
17	2420mm	329469	329489	329508	329527
16	2280mm	329468	329488	329507	329526
15	2140mm	329467	329487	329506	329525
14	2000mm	329466	329486	329505	329524
13	1860mm	329465	329485	329504	329523
12	1720mm	329464	329484	329503	329522
11	1580mm	329463	329483	329502	329521
10	1440mm	329462	329482	329501	329520
9	1300mm	329461	329481	329500	329519
8	1160mm	329460	329480	329499	329518
7	1020mm	329459	329479	329498	329517
6	880mm	329458	329478	329497	329516
5	740mm	329457	329477	329496	329515
4	600mm	329456	329476	329495	329514
3	460mm	329455	329475	329494	329513
2	320mm	329454	329474	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 152mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Monument




LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

21	2980mm		21	2980mm	329551	329571	329590	329609
20	2840mm		20	2840mm	329550	329570	329589	329608
19	2700mm		19	2700mm	329549	329569	329588	329607
18	2560mm		18	2560mm	329548	329568	329587	329606
17	2420mm		17	2420mm	329547	329567	329586	329605
16	2280mm		16	2280mm	329546	329566	329585	329604
15	2140mm		15	2140mm	329545	329565	329584	329603
14	2000mm		14	2000mm	329544	329564	329583	329602
13	1860mm		13	1860mm	329543	329563	329582	329601
12	1720mm		12	1720mm	329542	329562	329581	329600
11	1580mm		11	1580mm	329541	329561	329580	329599
10	1440mm		10	1440mm	329540	329560	329579	329598
9	1300mm		9	1300mm	329539	329559	329578	329597
8	1160mm		8	1160mm	329538	329558	329577	329596
7	1020mm		7	1020mm	329537	329557	329576	329595
6	880mm		6	880mm	329536	329556	329575	329594
5	740mm		5	740mm	329535	329555	329574	329593
4	600mm		4	600mm	329534	329554	329573	329592
3	460mm		3	460mm	329533	329553	329572	329591
2	320mm		2	320mm	329532	329552	N/A	N/A
NO. OF BLADES	GALLERY HEIGHT				NON-STOCKED ITEMS			

RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Monument




LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
MONUMENT

LOCKING + RESTRICTED

			NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
					LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm		21	2980mm	329629	329649	329668	329687
20	2840mm		20	2840mm	329628	329648	329667	329686
19	2700mm		19	2700mm	329627	329647	329666	329685
18	2560mm		18	2560mm	329626	329646	329665	329684
17	2420mm		17	2420mm	329625	329645	329664	329683
16	2280mm		16	2280mm	329624	329644	329663	329682
15	2140mm		15	2140mm	329623	329643	329662	329681
14	2000mm		14	2000mm	329622	329642	329661	329680
13	1860mm		13	1860mm	329621	329641	329660	329679
12	1720mm		12	1720mm	329620	329640	329659	329678
11	1580mm		11	1580mm	329619	329639	329658	329677
10	1440mm		10	1440mm	329618	329638	329657	329676
9	1300mm		9	1300mm	329617	329637	329656	329675
8	1160mm		8	1160mm	329616	329636	329655	329674
7	1020mm		7	1020mm	329615	329635	329654	329673
6	880mm		6	880mm	329614	329634	329653	329672
5	740mm		5	740mm	329613	329633	329652	329671
4	600mm		4	600mm	329612	329632	329651	329670
3	460mm		3	460mm	329611	329631	329650	329669
2	320mm		2	320mm	329610	329630	N/A	N/A
					NON-STOCKED ITEMS			

LOCKING

The 152mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is:
Monument




LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
RING PULL

COLOUR: HANDLE, TRIM & GALLERY
MONUMENT

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	329707	329727	329746	329765
20	2840mm	329706	329726	329745	329764
19	2700mm	329705	329725	329744	329763
18	2560mm	329704	329724	329743	329762
17	2420mm	329703	329723	329742	329761
16	2280mm	329702	329722	329741	329760
15	2140mm	329701	329721	329740	329759
14	2000mm	329700	329720	329739	329758
13	1860mm	329699	329719	329738	329757
12	1720mm	329698	329718	329737	329756
11	1580mm	329697	329717	329736	329755
10	1440mm	329696	329716	329735	329754
9	1300mm	329695	329715	329734	329753
8	1160mm	329694	329714	329733	329752
7	1020mm	329693	329713	329732	329751
6	880mm	329692	329712	329731	329750
5	740mm	329691	329711	329730	329749
4	600mm	329690	329710	329729	329748
3	460mm	329689	329709	329728	329747
2	320mm	329688	329708	N/A	N/A

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever, blade clips and trim is:
Monument




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

21	2980mm		21	2980mm	329785	329805	329824	329843													
20	2840mm		20	2840mm	329784	329804	329823	329842													
19	2700mm		19	2700mm	329783	329803	329822	329841													
18	2560mm		18	2560mm	329782	329802	329821	329840													
17	2420mm		17	2420mm	329781	329801	329820	329839													
16	2280mm		16	2280mm	329780	329800	329819	329838													
15	2140mm		15	2140mm	329779	329799	329818	329837													
14	2000mm		14	2000mm	329778	329798	329817	329836													
13	1860mm		13	1860mm	329777	329797	329816	329835													
12	1720mm		12	1720mm	329776	329796	329815	329834													
11	1580mm		11	1580mm	329775	329795	329814	329833													
10	1440mm		10	1440mm	329774	329794	329813	329832													
9	1300mm		9	1300mm	329773	329793	329812	329831													
8	1160mm		8	1160mm	329772	329792	329811	329830													
7	1020mm		7	1020mm	329771	329791	329810	329829													
6	880mm		6	880mm	329770	329790	329809	329828													
5	740mm		5	740mm	329769	329789	329808	329827													
4	600mm		4	600mm	329768	329788	329807	329826													
3	460mm		3	460mm	329767	329787	329806	329825													
2	320mm		2	320mm	329766	329786	N/A	N/A													
NO. OF BLADES	GALLERY HEIGHT					NON-STOCKED ITEMS															
		2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21

LOCKING

The 152mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Monument




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

21	2980mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												</
----	--------	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Monument




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
RING PULL

COLOUR: HANDLE, TRIM & GALLERY
MONUMENT

LOCKING + RESTRICTED

			NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
					LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm		21	2980mm	329941	329961	329980	329999
20	2840mm		20	2840mm	329940	329960	329979	329998
19	2700mm		19	2700mm	329939	329959	329978	329997
18	2560mm		18	2560mm	329938	329958	329977	329996
17	2420mm		17	2420mm	329937	329957	329976	329995
16	2280mm		16	2280mm	329936	329956	329975	329994
15	2140mm		15	2140mm	329935	329955	329974	329993
14	2000mm		14	2000mm	329934	329954	329973	329992
13	1860mm		13	1860mm	329933	329953	329972	329991
12	1720mm		12	1720mm	329932	329952	329971	329990
11	1580mm		11	1580mm	329931	329951	329970	329989
10	1440mm		10	1440mm	329930	329950	329969	329988
9	1300mm		9	1300mm	329929	329949	329968	329987
8	1160mm		8	1160mm	329928	329948	329967	329986
7	1020mm		7	1020mm	329927	329947	329966	329985
6	880mm		6	880mm	329926	329946	329965	329984
5	740mm		5	740mm	329925	329945	329964	329983
4	600mm		4	600mm	329924	329944	329963	329982
3	460mm		3	460mm	329923	329943	329962	329981
2	320mm		2	320mm	329922	329942	N/A	N/A
					NON-STOCKED ITEMS			

LOCKING

The 152mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is:
Monument




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

**HANDLE:
AUTO**

**COLOUR: HANDLE, TRIM & GALLERY
MONUMENT**

NO. OF BLADES	GALLERY HEIGHT
21	2980mm
20	2840mm
19	2700mm
18	2560mm
17	2420mm
16	2280mm
15	2140mm
14	2000mm
13	1860mm
12	1720mm
11	1580mm
10	1440mm
9	1300mm
8	1160mm
7	1020mm
6	880mm
5	740mm
4	600mm
3	460mm
2	320mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries LH No Holes	Galleries with TCL LH No Holes
21	2980mm	325579	325598
20	2840mm	325578	325597
19	2700mm	325577	325596
18	2560mm	325576	325595
17	2420mm	325575	325594
16	2280mm	325574	325593
15	2140mm	325573	325592
14	2000mm	325572	325591
13	1860mm	325571	325590
12	1720mm	325570	325589
11	1580mm	325569	325588
10	1440mm	325568	325587
9	1300mm	325567	325586
8	1160mm	325566	325585
7	1020mm	325565	325584
6	880mm	325564	325583
5	740mm	325563	325582
4	600mm	325562	325581
3	460mm	325561	325580
2	320mm	N/A	N/A

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever, blade clips and trim is:
Monument



AUTO LOUVRE

Hidden within the gallery framing the Auto Louvre powered and controlled by a 24V DC plug and play control unit allows users to open and close the Louvres with a press of a button. Motor is always on left hand side.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
SURFMIST

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	324298	324318	324487	324506
20	2840mm	324297	324317	324486	324505
19	2700mm	324296	324316	324485	324504
18	2560mm	324295	324315	324484	324503
17	2420mm	324294	324314	324483	324502
16	2280mm	324548	324313	324558	324501
15	2140mm	324293	324312	324482	324500
14	2000mm	324292	324311	324481	324499
13	1860mm	324291	324310	324480	324498
12	1720mm	324290	324309	324479	324497
11	1580mm	324289	324308	324478	324496
10	1440mm	324288	324307	324477	324495
9	1300mm	324287	324306	324476	324494
8	1160mm	324286	324305	324475	324493
7	1020mm	324285	324304	324474	324492
6	880mm	324284	324303	324473	324491
5	740mm	324283	324302	324472	324490
4	600mm	324282	324301	324471	324489
3	460mm	324547	324300	324557	324488
2	320mm	324281	324299	N/A	N/A

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever, blade clips and trim is: Surfsmist




LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
SURFMIST

LOCKING

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	330019	330039	330058	330077
20	2840mm	330018	330038	330057	330076
19	2700mm	330017	330037	330056	330075
18	2560mm	330016	330036	330055	330074
17	2420mm	330015	330035	330054	330073
16	2280mm	330014	330034	330053	330072
15	2140mm	330013	330033	330052	330071
14	2000mm	330012	330032	330051	330070
13	1860mm	330011	330031	330050	330069
12	1720mm	330010	330030	330049	330068
11	1580mm	330009	330029	330048	330067
10	1440mm	330008	330028	330047	330066
9	1300mm	330007	330027	330046	330065
8	1160mm	330006	330026	330045	330064
7	1020mm	330005	330025	330044	330063
6	880mm	330004	330024	330043	330062
5	740mm	330003	330023	330042	330061
4	600mm	330002	330022	330041	330060
3	460mm	330001	330021	330040	330059
2	320mm	330000	330020	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 152mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Surfmist




LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
SURFMIST

RESTRICTION

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	330097	330117	330136	330155
20	2840mm	330096	330116	330135	330154
19	2700mm	330095	330115	330134	330153
18	2560mm	330094	330114	330133	330152
17	2420mm	330093	330113	330132	330151
16	2280mm	330092	330112	330131	330150
15	2140mm	330091	330111	330130	330149
14	2000mm	330090	330110	330129	330148
13	1860mm	330089	330109	330128	330147
12	1720mm	330088	330108	330127	330146
11	1580mm	330087	330107	330126	330145
10	1440mm	330086	330106	330125	330144
9	1300mm	330085	330105	330124	330143
8	1160mm	330084	330104	330123	330142
7	1020mm	330083	330103	330122	330141
6	880mm	330082	330102	330121	330140
5	740mm	330081	330101	330120	330139
4	600mm	330080	330100	330119	330138
3	460mm	330079	330099	330118	330137
2	320mm	330078	330098	N/A	N/A

NON-STOCKED ITEMS

RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Surfmist




LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

		152 SERIES		HANDLE: LOW PROFILE		COLOUR: HANDLE, TRIM & GALLERY SURFMIST	
				LOCKING		+ RESTRICTED	
NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL			
		LH No Holes	RH No Holes	LH No Holes	RH No Holes		
21	2980mm	330175	330195	330214	330233		
20	2840mm	330174	330194	330213	330232		
19	2700mm	330173	330193	330212	330231		
18	2560mm	330172	330192	330211	330230		
17	2420mm	330171	330191	330210	330229		
16	2280mm	330170	330190	330209	330228		
15	2140mm	330169	330189	330208	330227		
14	2000mm	330168	330188	330207	330226		
13	1860mm	330167	330187	330206	330225		
12	1720mm	330166	330186	330205	330224		
11	1580mm	330165	330185	330204	330223		
10	1440mm	330164	330184	330203	330222		
9	1300mm	330163	330183	330202	330221		
8	1160mm	330162	330182	330201	330220		
7	1020mm	330161	330181	330200	330219		
6	880mm	330160	330180	330199	330218		
5	740mm	330159	330179	330198	330217		
4	600mm	330158	330178	330197	330216		
3	460mm	330157	330177	330196	330215		
2	320mm	330156	330176	N/A	N/A		
		NON-STOCKED ITEMS					

LOCKING

The 152mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Surfmist



LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.




TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

		152 SERIES		HANDLE: RING PULL		COLOUR: HANDLE, TRIM & GALLERY SURFMIST	
NO. OF BLADES	GALLERY HEIGHT			Full Height Galleries		Galleries with TCL	
				LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm			330253	330273	330292	330311
20	2840mm			330252	330272	330291	330310
19	2700mm			330251	330271	330290	330309
18	2560mm			330250	330270	330289	330308
17	2420mm			330249	330269	330288	330307
16	2280mm			330248	330268	330287	330306
15	2140mm			330247	330267	330286	330305
14	2000mm			330246	330266	330285	330304
13	1860mm			330245	330265	330284	330303
12	1720mm			330244	330264	330283	330302
11	1580mm			330243	330263	330282	330301
10	1440mm			330242	330262	330281	330300
9	1300mm			330241	330261	330280	330299
8	1160mm			330240	330260	330279	330298
7	1020mm			330239	330259	330278	330297
6	880mm			330238	330258	330277	330296
5	740mm			330237	330257	330276	330295
4	600mm			330236	330256	330275	330294
3	460mm			330235	330255	330274	330293
2	320mm			330234	330254	N/A	N/A
				NON-STOCKED ITEMS			

COLOUR & TRIM

The handle/lever, blade clips and trim is: Surfmist




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

21	2980mm		21	2980mm	330331	330351	330370	330389
20	2840mm		20	2840mm	330330	330350	330369	330388
19	2700mm		19	2700mm	330329	330349	330368	330387
18	2560mm		18	2560mm	330328	330348	330367	330386
17	2420mm		17	2420mm	330327	330347	330366	330385
16	2280mm		16	2280mm	330326	330346	330365	330384
15	2140mm		15	2140mm	330325	330345	330364	330383
14	2000mm		14	2000mm	330324	330344	330363	330382
13	1860mm		13	1860mm	330323	330343	330362	330381
12	1720mm		12	1720mm	330322	330342	330361	330380
11	1580mm		11	1580mm	330321	330341	330360	330379
10	1440mm		10	1440mm	330320	330340	330359	330378
9	1300mm		9	1300mm	330319	330339	330358	330377
8	1160mm		8	1160mm	330318	330338	330357	330376
7	1020mm		7	1020mm	330317	330337	330356	330375
6	880mm		6	880mm	330316	330336	330355	330374
5	740mm		5	740mm	330315	330335	330354	330373
4	600mm		4	600mm	330314	330334	330353	330372
3	460mm		3	460mm	330313	330333	330352	330371
2	320mm		2	320mm	330312	330332	N/A	N/A
NO. OF BLADES	GALLERY HEIGHT				NON-STOCKED ITEMS			

LOCKING

The 152mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Surfmist




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

21	2980mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
----	--------	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Surfmist




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

21	2980mm		21	2980mm	330487	330507	330526	330545	
20	2840mm		20	2840mm	330486	330506	330525	330544	
19	2700mm		19	2700mm	330485	330505	330524	330543	
18	2560mm		18	2560mm	330484	330504	330523	330542	
17	2420mm		17	2420mm	330483	330503	330522	330541	
16	2280mm		16	2280mm	330482	330502	330521	330540	
15	2140mm		15	2140mm	330481	330501	330520	330539	
14	2000mm		14	2000mm	330480	330500	330519	330538	
13	1860mm		13	1860mm	330479	330499	330518	330537	
12	1720mm		12	1720mm	330478	330498	330517	330536	
11	1580mm		11	1580mm	330477	330497	330516	330535	
10	1440mm		10	1440mm	330476	330496	330515	330534	
9	1300mm		9	1300mm	330475	330495	330514	330533	
8	1160mm		8	1160mm	330474	330494	330513	330532	
7	1020mm		7	1020mm	330473	330493	330512	330531	
6	880mm		6	880mm	330472	330492	330511	330530	
5	740mm		5	740mm	330471	330491	330510	330529	
4	600mm		4	600mm	330470	330490	330509	330528	
3	460mm		3	460mm	330469	330489	330508	330527	
2	320mm		2	320mm	330468	330488	N/A	N/A	
NO. OF BLADES	GALLERY HEIGHT					NON-STOCKED ITEMS			

LOCKING

The 152mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Surfmist




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.




TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS



152 SERIES		HANDLE: AUTO	COLOUR: HANDLE, TRIM & GALLERY SURFMIST
NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries	
		LH No Holes	LH No Holes
21	2980mm	325617	325636
20	2840mm	325616	325635
19	2700mm	325615	325634
18	2560mm	325614	325633
17	2420mm	325613	325632
16	2280mm	325612	325631
15	2140mm	325611	325630
14	2000mm	325610	325629
13	1860mm	325609	325628
12	1720mm	325608	325627
11	1580mm	325607	325626
10	1440mm	325606	325625
9	1300mm	325605	325624
8	1160mm	325604	325623
7	1020mm	325603	325622
6	880mm	325602	325621
5	740mm	325601	325620
4	600mm	325600	325619
3	460mm	325599	325618
2	320mm	N/A	N/A

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever, blade clips and trim is: Surfmist



AUTO LOUVRE

Hidden within the gallery framing the Auto Louvre powered and controlled by a 24V DC plug and play control unit allows users to open and close the Louvres with a press of a button. Motor is always on left hand side.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

NO. OF BLADES	GALLERY HEIGHT
2	320mm
3	460mm
4	600mm
5	740mm
6	880mm
7	1020mm
8	1160mm
9	1300mm
10	1440mm
11	1580mm
12	1720mm
13	1860mm
14	2000mm
15	2140mm
16	2280mm
17	2420mm
18	2560mm
19	2700mm
20	2840mm
21	2980mm

**152
SERIES**

HANDLE:
LOW PROFILE

COLOUR: GALLERY CHANNEL
CLEAR ANODISED

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	330565	330585	330604	330623
20	2840mm	330564	330584	330603	330622
19	2700mm	330563	330583	330602	330621
18	2560mm	330562	330582	330601	330620
17	2420mm	330561	330581	330600	330619
16	2280mm	330560	330580	330599	330618
15	2140mm	330559	330579	330598	330617
14	2000mm	330558	330578	330597	330616
13	1860mm	330557	330577	330596	330615
12	1720mm	330556	330576	330595	330614
11	1580mm	330555	330575	330594	330613
10	1440mm	330554	330574	330593	330612
9	1300mm	330553	330573	330592	330611
8	1160mm	330552	330572	330591	330610
7	1020mm	330551	330571	330590	330609
6	880mm	330550	330570	330589	330608
5	740mm	330549	330569	330588	330607
4	600mm	330548	330568	330587	330606
3	460mm	330547	330567	330586	330605
2	320mm	330546	330566	N/A	N/A

NON-STOCKED ITEMS

COLOUR & TRIM

Gallery Channel is:
Clear Anodised



The handle/lever, blade clips and trim is: Silver

LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



Left Hand



Right Hand

TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
LOW PROFILE

COLOUR: GALLERY CHANNEL
CLEAR ANODISED

LOCKING

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	330643	330663	330682	330701
20	2840mm	330642	330662	330681	330700
19	2700mm	330641	330661	330680	330699
18	2560mm	330640	330660	330679	330698
17	2420mm	330639	330659	330678	330697
16	2280mm	330638	330658	330677	330696
15	2140mm	330637	330657	330676	330695
14	2000mm	330636	330656	330675	330694
13	1860mm	330635	330655	330674	330693
12	1720mm	330634	330654	330673	330692
11	1580mm	330633	330653	330672	330691
10	1440mm	330632	330652	330671	330690
9	1300mm	330631	330651	330670	330689
8	1160mm	330630	330650	330669	330688
7	1020mm	330629	330649	330668	330687
6	880mm	330628	330648	330667	330686
5	740mm	330627	330647	330666	330685
4	600mm	330626	330646	330665	330684
3	460mm	330625	330645	330664	330683
2	320mm	330624	330644	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 152mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



COLOUR & TRIM

Gallery Channel is:
Clear Anodised



The handle/lever, blade clips and trim is: Silver


LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
LOW PROFILE

COLOUR: GALLERY CHANNEL
CLEAR ANODISED

RESTRICTION

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	330721	330741	330760	330779
20	2840mm	330720	330740	330759	330778
19	2700mm	330719	330739	330758	330777
18	2560mm	330718	330738	330757	330776
17	2420mm	330717	330737	330756	330775
16	2280mm	330716	330736	330755	330774
15	2140mm	330715	330735	330754	330773
14	2000mm	330714	330734	330753	330772
13	1860mm	330713	330733	330752	330771
12	1720mm	330712	330732	330751	330770
11	1580mm	330711	330731	330750	330769
10	1440mm	330710	330730	330749	330768
9	1300mm	330709	330729	330748	330767
8	1160mm	330708	330728	330747	330766
7	1020mm	330707	330727	330746	330765
6	880mm	330706	330726	330745	330764
5	740mm	330705	330725	330744	330763
4	600mm	330704	330724	330743	330762
3	460mm	330703	330723	330742	330761
2	320mm	330702	330722	N/A	N/A

NON-STOCKED ITEMS

RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

Gallery Channel is:
Clear Anodised



The handle/lever, blade clips and trim is: Silver


LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

21	2980mm		21	2980mm	330799	330819	330838	330857
20	2840mm		20	2840mm	330798	330818	330837	330856
19	2700mm		19	2700mm	330797	330817	330836	330855
18	2560mm		18	2560mm	330796	330816	330835	330854
17	2420mm		17	2420mm	330795	330815	330834	330853
16	2280mm		16	2280mm	330794	330814	330833	330852
15	2140mm		15	2140mm	330793	330813	330832	330851
14	2000mm		14	2000mm	330792	330812	330831	330850
13	1860mm		13	1860mm	330791	330811	330830	330849
12	1720mm		12	1720mm	330790	330810	330829	330848
11	1580mm		11	1580mm	330789	330809	330828	330847
10	1440mm		10	1440mm	330788	330808	330827	330846
9	1300mm		9	1300mm	330787	330807	330826	330845
8	1160mm		8	1160mm	330786	330806	330825	330844
7	1020mm		7	1020mm	330785	330805	330824	330843
6	880mm		6	880mm	330784	330804	330823	330842
5	740mm		5	740mm	330783	330803	330822	330841
4	600mm		4	600mm	330782	330802	330821	330840
3	460mm		3	460mm	330781	330801	330820	330839
2	320mm		2	320mm	330780	330800	N/A	N/A
NO. OF BLADES	GALLERY HEIGHT		NON-STOCKED ITEMS					

LOCKING

The 152mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

Gallery Channel is: Clear Anodised



The handle/lever, blade clips and trim is: Silver

LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



Left Hand



Right Hand

TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
RING PULL

COLOUR: GALLERY CHANNEL
CLEAR ANODISED

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	330877	330897	330916	330935
20	2840mm	330876	330896	330915	330934
19	2700mm	330875	330895	330914	330933
18	2560mm	330874	330894	330913	330932
17	2420mm	330873	330893	330912	330931
16	2280mm	330872	330892	330911	330930
15	2140mm	330871	330891	330910	330929
14	2000mm	330870	330890	330909	330928
13	1860mm	330869	330889	330908	330927
12	1720mm	330868	330888	330907	330926
11	1580mm	330867	330887	330906	330925
10	1440mm	330866	330886	330905	330924
9	1300mm	330865	330885	330904	330923
8	1160mm	330864	330884	330903	330922
7	1020mm	330863	330883	330902	330921
6	880mm	330862	330882	330901	330920
5	740mm	330861	330881	330900	330919
4	600mm	330860	330880	330899	330918
3	460mm	330859	330879	330898	330917
2	320mm	330858	330878	N/A	N/A

NON-STOCKED ITEMS

COLOUR & TRIM

Gallery Channel is:
Clear Anodised



The handle/lever, blade clips and trim is: Silver


RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
RING PULL

COLOUR: GALLERY CHANNEL
CLEAR ANODISED

LOCKING

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm	330955	330975	330994	331013
20	2840mm	330954	330974	330993	331012
19	2700mm	330953	330973	330992	331011
18	2560mm	330952	330972	330991	331010
17	2420mm	330951	330971	330990	331009
16	2280mm	330950	330970	330989	331008
15	2140mm	330949	330969	330988	331007
14	2000mm	330948	330968	330987	331006
13	1860mm	330947	330967	330986	331005
12	1720mm	330946	330966	330985	331004
11	1580mm	330945	330965	330984	331003
10	1440mm	330944	330964	330983	331002
9	1300mm	330943	330963	330982	331001
8	1160mm	330942	330962	330981	331000
7	1020mm	330941	330961	330980	330999
6	880mm	330940	330960	330979	330998
5	740mm	330939	330959	330978	330997
4	600mm	330938	330958	330977	330996
3	460mm	330937	330957	330976	330995
2	320mm	330936	330956	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 152mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



COLOUR & TRIM

Gallery Channel is:
Clear Anodised



The handle/lever, blade clips and trim is: Silver


RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

21	2980mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
----	--------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

Gallery Channel is: Clear Anodised



The handle/lever, blade clips and trim is: Silver


RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**152
SERIES**

HANDLE:
RING PULL

COLOUR: GALLERY CHANNEL
CLEAR ANODISED

LOCKING + RESTRICTED

			NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
					LH No Holes	RH No Holes	LH No Holes	RH No Holes
21	2980mm		21	2980mm	331111	331131	331150	331169
20	2840mm		20	2840mm	331110	331130	331149	331168
19	2700mm		19	2700mm	331109	331129	331148	331167
18	2560mm		18	2560mm	331108	331128	331147	331166
17	2420mm		17	2420mm	331107	331127	331146	331165
16	2280mm		16	2280mm	331106	331126	331145	331164
15	2140mm		15	2140mm	331105	331125	331144	331163
14	2000mm		14	2000mm	331104	331124	331143	331162
13	1860mm		13	1860mm	331103	331123	331142	331161
12	1720mm		12	1720mm	331102	331122	331141	331160
11	1580mm		11	1580mm	331101	331121	331140	331159
10	1440mm		10	1440mm	331100	331120	331139	331158
9	1300mm		9	1300mm	331099	331119	331138	331157
8	1160mm		8	1160mm	331098	331118	331137	331156
7	1020mm		7	1020mm	331097	331117	331136	331155
6	880mm		6	880mm	331096	331116	331135	331154
5	740mm		5	740mm	331095	331115	331134	331153
4	600mm		4	600mm	331094	331114	331133	331152
3	460mm		3	460mm	331093	331113	331132	331151
2	320mm		2	320mm	331092	331112	N/A	N/A
					NON-STOCKED ITEMS			

LOCKING

The 152mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

Gallery Channel is:
Clear Anodised



The handle/lever, blade clips and trim is: Silver


RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.




TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS



**152
SERIES**

HANDLE:
AUTO

COLOUR: GALLERY CHANNEL
CLEAR ANODISED

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes		LH No Holes	
21	2980mm	331188		331207	
20	2840mm	331187		331206	
19	2700mm	331186		331205	
18	2560mm	331185		331204	
17	2420mm	331184		331203	
16	2280mm	331183		331202	
15	2140mm	331182		331201	
14	2000mm	331181		331200	
13	1860mm	331180		331199	
12	1720mm	331179		331198	
11	1580mm	331178		331197	
10	1440mm	331177		331196	
9	1300mm	331176		331195	
8	1160mm	331175		331194	
7	1020mm	331174		331193	
6	880mm	331173		331192	
5	740mm	331172		331191	
4	600mm	331171		331190	
3	460mm	331170		331189	
2	320mm	N/A		N/A	

NON-STOCKED ITEMS

COLOUR & TRIM

Gallery Channel is:
Clear Anodised

The handle/lever,
blade clips and
trim is: Silver

AUTO LOUVRE

Hidden within the gallery framing the Auto Louvre powered and controlled by a 24V DC plug and play control unit allows users to open and close the Louvres with a press of a button. Motor is always on left hand side.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

**HANDLE:
LOW PROFILE**

**COLOUR: HANDLE, TRIM & GALLERY
BLACK**

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	324732	324736	324904	324932
30	2741mm	324731	324735	324903	324931
29	2651mm	324730	324734	324902	324930
28	2561mm	324729	324733	324901	324929
27	2471mm	321520	321545	324900	324928
26	2381mm	321519	321544	324899	324927
25	2291mm	321518	321543	324898	324926
24	2201mm	321517	321542	324897	324925
23	2111mm	321516	321541	324896	324924
22	2021mm	321515	321540	324895	324923
21	1931mm	321514	321539	324894	324922
20	1841mm	321513	321538	324893	324921
19	1751mm	321512	321537	324892	324920
18	1661mm	321511	321536	324891	324919
17	1571mm	321510	321535	324890	324918
16	1481mm	321509	321534	324889	324917
15	1391mm	321508	321533	324888	324916
14	1301mm	321507	321532	324887	324915
13	1211mm	321506	321531	324886	324914
12	1121mm	321505	321530	324885	324913
11	1031mm	321504	321529	324884	324912
10	941mm	321503	321528	324883	324911
9	851mm	321502	321527	324882	324910
8	761mm	321501	321526	324881	324909
7	671mm	321500	321525	324880	324908
6	581mm	321499	321524	324879	324907
5	491mm	321498	321523	324878	324906
4	401mm	321497	321522	324877	324905
3	311mm	321496	321521	N/A	N/A

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever,
blade clips and
trim is: Black



LOW PROFILE HANDLE

The perfect all-rounder
suited to galleries with
blinds or curtains installed
or high out of reach
windows that require
a hook rod to operate.
Recommended blade
spans of up to **900mm**.



HANDING

Please note
handing is
viewed from
the inside
looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is
different to the standard height of
the gallery, Top Clip Loose offers a
means to customise the height through
modification, effectively setting loose
the very top clip from control. The top
clip is then fixed into place while the rest
of the louvre blades can operate.
To order a non-standard size, choose
next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
BLACK

LOCKING

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	331231	331260	331288	331316
30	2741mm	331230	331259	331287	331315
29	2651mm	331229	331258	331286	331314
28	2561mm	331228	331257	331285	331313
27	2471mm	331227	331256	331284	331312
26	2381mm	331226	331255	331283	331311
25	2291mm	331225	331254	331282	331310
24	2201mm	331224	331253	331281	331309
23	2111mm	331223	331252	331280	331308
22	2021mm	331222	331251	331279	331307
21	1931mm	331221	331250	331278	331306
20	1841mm	331220	331249	331277	331305
19	1751mm	331219	331248	331276	331304
18	1661mm	331218	331247	331275	331303
17	1571mm	331217	331246	331274	331302
16	1481mm	331216	331245	331273	331301
15	1391mm	331215	331244	331272	331300
14	1301mm	331214	331243	331271	331299
13	1211mm	331213	331242	331270	331298
12	1121mm	331212	331241	331269	331297
11	1031mm	331211	331240	331268	331296
10	941mm	327820	331239	331267	331295
9	851mm	327819	331238	331266	331294
8	761mm	327818	331237	331265	331293
7	671mm	327817	331236	331264	331292
6	581mm	327816	331235	331263	331291
5	491mm	327815	331234	331262	331290
4	401mm	327814	331233	331261	331289
3	311mm	327813	331232	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 102mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Black




LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
BLACK

RESTRICTION

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	331345	331374	331402	331430
30	2741mm	331344	331373	331401	331429
29	2651mm	331343	331372	331400	331428
28	2561mm	331342	331371	331399	331427
27	2471mm	331341	331370	331398	331426
26	2381mm	331340	331369	331397	331425
25	2291mm	331339	331368	331396	331424
24	2201mm	331338	331367	331395	331423
23	2111mm	331337	331366	331394	331422
22	2021mm	331336	331365	331393	331421
21	1931mm	331335	331364	331392	331420
20	1841mm	331334	331363	331391	331419
19	1751mm	331333	331362	331390	331418
18	1661mm	331332	331361	331389	331417
17	1571mm	331331	331360	331388	331416
16	1481mm	331330	331359	331387	331415
15	1391mm	331329	331358	331386	331414
14	1301mm	331328	331357	331385	331413
13	1211mm	331327	331356	331384	331412
12	1121mm	331326	331355	331383	331411
11	1031mm	331325	331354	331382	331410
10	941mm	331324	331353	331381	331409
9	851mm	331323	331352	331380	331408
8	761mm	331322	331351	331379	331407
7	671mm	331321	331350	331378	331406
6	581mm	331320	331349	331377	331405
5	491mm	331319	331348	331376	331404
4	401mm	331318	331347	331375	331403
3	311mm	331317	331346	N/A	N/A

NON-STOCKED ITEMS

RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Black



LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
BLACK

LOCKING + RESTRICTED

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	331459	331488	331516	331544
30	2741mm	331458	331487	331515	331543
29	2651mm	331457	331486	331514	331542
28	2561mm	331456	331485	331513	331541
27	2471mm	331455	331484	331512	331540
26	2381mm	331454	331483	331511	331539
25	2291mm	331453	331482	331510	331538
24	2201mm	331452	331481	331509	331537
23	2111mm	331451	331480	331508	331536
22	2021mm	331450	331479	331507	331535
21	1931mm	331449	331478	331506	331534
20	1841mm	331448	331477	331505	331533
19	1751mm	331447	331476	331504	331532
18	1661mm	331446	331475	331503	331531
17	1571mm	331445	331474	331502	331530
16	1481mm	331444	331473	331501	331529
15	1391mm	331443	331472	331500	331528
14	1301mm	331442	331471	331499	331527
13	1211mm	331441	331470	331498	331526
12	1121mm	331440	331469	331497	331525
11	1031mm	331439	331468	331496	331524
10	941mm	331438	331467	331495	331523
9	851mm	331437	331466	331494	331522
8	761mm	331436	331465	331493	331521
7	671mm	331435	331464	331492	331520
6	581mm	331434	331463	331491	331519
5	491mm	331433	331462	331490	331518
4	401mm	331432	331461	331489	331517
3	311mm	331431	331460	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 102mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Black




LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

102 SERIES

HANDLE:
RING PULL

COLOUR: HANDLE, TRIM & GALLERY
BLACK

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	331573	331602	331630	331658
30	2741mm	331572	331601	331629	331657
29	2651mm	331571	331600	331628	331656
28	2561mm	331570	331599	331627	331655
27	2471mm	331569	331598	331626	331654
26	2381mm	331568	331597	331625	331653
25	2291mm	331567	331596	331624	331652
24	2201mm	331566	331595	331623	331651
23	2111mm	331565	331594	331622	331650
22	2021mm	331564	331593	331621	331649
21	1931mm	331563	331592	331620	331648
20	1841mm	331562	331591	331619	331647
19	1751mm	331561	331590	331618	331646
18	1661mm	331560	331589	331617	331645
17	1571mm	331559	331588	331616	331644
16	1481mm	331558	331587	331615	331643
15	1391mm	331557	331586	331614	331642
14	1301mm	331556	331585	331613	331641
13	1211mm	331555	331584	331612	331640
12	1121mm	331554	331583	331611	331639
11	1031mm	331553	331582	331610	331638
10	941mm	331552	331581	331609	331637
9	851mm	331551	331580	331608	331636
8	761mm	331550	331579	331607	331635
7	671mm	331549	331578	331606	331634
6	581mm	331548	331577	331605	331633
5	491mm	331547	331576	331604	331632
4	401mm	331546	331575	331603	331631
3	311mm	331545	331574	N/A	N/A

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever, blade clips and trim is: Black



RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

HANDLE:
RING PULL

COLOUR: HANDLE, TRIM & GALLERY
BLACK

LOCKING

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	331687	331716	331744	331772
30	2741mm	331686	331715	331743	331771
29	2651mm	331685	331714	331742	331770
28	2561mm	331684	331713	331741	331769
27	2471mm	331683	331712	331740	331768
26	2381mm	331682	331711	331739	331767
25	2291mm	331681	331710	331738	331766
24	2201mm	331680	331709	331737	331765
23	2111mm	331679	331708	331736	331764
22	2021mm	331678	331707	331735	331763
21	1931mm	331677	331706	331734	331762
20	1841mm	331676	331705	331733	331761
19	1751mm	331675	331704	331732	331760
18	1661mm	331674	331703	331731	331759
17	1571mm	331673	331702	331730	331758
16	1481mm	331672	331701	331729	331757
15	1391mm	331671	331700	331728	331756
14	1301mm	331670	331699	331727	331755
13	1211mm	331669	331698	331726	331754
12	1121mm	331668	331697	331725	331753
11	1031mm	331667	331696	331724	331752
10	941mm	331666	331695	331723	331751
9	851mm	331665	331694	331722	331750
8	761mm	331664	331693	331721	331749
7	671mm	331663	331692	331720	331748
6	581mm	331662	331691	331719	331747
5	491mm	331661	331690	331718	331746
4	401mm	331660	331689	331717	331745
3	311mm	331659	331688	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 102mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Black




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

HANDLE:
RING PULL

COLOUR: HANDLE, TRIM & GALLERY
BLACK

RESTRICTION

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	331801	331830	331858	331886
30	2741mm	331800	331829	331857	331885
29	2651mm	331799	331828	331856	331884
28	2561mm	331798	331827	331855	331883
27	2471mm	331797	331826	331854	331882
26	2381mm	331796	331825	331853	331881
25	2291mm	331795	331824	331852	331880
24	2201mm	331794	331823	331851	331879
23	2111mm	331793	331822	331850	331878
22	2021mm	331792	331821	331849	331877
21	1931mm	331791	331820	331848	331876
20	1841mm	331790	331819	331847	331875
19	1751mm	331789	331818	331846	331874
18	1661mm	331788	331817	331845	331873
17	1571mm	331787	331816	331844	331872
16	1481mm	331786	331815	331843	331871
15	1391mm	331785	331814	331842	331870
14	1301mm	331784	331813	331841	331869
13	1211mm	331783	331812	331840	331868
12	1121mm	331782	331811	331839	331867
11	1031mm	331781	331810	331838	331866
10	941mm	331780	331809	331837	331865
9	851mm	331779	331808	331836	331864
8	761mm	331778	331807	331835	331863
7	671mm	331777	331806	331834	331862
6	581mm	331776	331805	331833	331861
5	491mm	331775	331804	331832	331860
4	401mm	331774	331803	331831	331859
3	311mm	331773	331802	N/A	N/A

NON-STOCKED ITEMS

RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Black



RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

HANDLE:
RING PULL

COLOUR: HANDLE, TRIM & GALLERY
BLACK

LOCKING + RESTRICTED

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	331915	331944	331972	332000
30	2741mm	331914	331943	331971	331999
29	2651mm	331913	331942	331970	331998
28	2561mm	331912	331941	331969	331997
27	2471mm	331911	331940	331968	331996
26	2381mm	331910	331939	331967	331995
25	2291mm	331909	331938	331966	331994
24	2201mm	331908	331937	331965	331993
23	2111mm	331907	331936	331964	331992
22	2021mm	331906	331935	331963	331991
21	1931mm	331905	331934	331962	331990
20	1841mm	331904	331933	331961	331989
19	1751mm	331903	331932	331960	331988
18	1661mm	331902	331931	331959	331987
17	1571mm	331901	331930	331958	331986
16	1481mm	331900	331929	331957	331985
15	1391mm	331899	331928	331956	331984
14	1301mm	331898	331927	331955	331983
13	1211mm	331897	331926	331954	331982
12	1121mm	331896	331925	331953	331981
11	1031mm	331895	331924	331952	331980
10	941mm	331894	331923	331951	331979
9	851mm	331893	331922	331950	331978
8	761mm	331892	331921	331949	331977
7	671mm	331891	331920	331948	331976
6	581mm	331890	331919	331947	331975
5	491mm	331889	331918	331946	331974
4	401mm	331888	331917	331945	331973
3	311mm	331887	331916	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 102mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Black




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.




TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS



102 SERIES

HANDLE:
AUTO

COLOUR: HANDLE, TRIM & GALLERY
BLACK

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes		LH No Holes	
31	2831mm	325663		325691	
30	2741mm	325662		325690	
29	2651mm	325661		325689	
28	2561mm	325660		325688	
27	2471mm	321595		325687	
26	2381mm	321594		325686	
25	2291mm	321593		325685	
24	2201mm	321592		325684	
23	2111mm	321591		325683	
22	2021mm	321590		325682	
21	1931mm	321589		325681	
20	1841mm	321588		325680	
19	1751mm	321587		325679	
18	1661mm	321586		325678	
17	1571mm	321585		325677	
16	1481mm	321584		322616	
15	1391mm	321583		325675	
14	1301mm	321582		325674	
13	1211mm	321581		325673	
12	1121mm	321580		325672	
11	1031mm	321579		325671	
10	941mm	321578		325670	
9	851mm	321577		325669	
8	761mm	321576		325668	
7	671mm	321575		325667	
6	581mm	321574		325666	
5	491mm	321573		325665	
4	401mm	321572		325664	
3	311mm	N/A		N/A	

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever, blade clips and trim is: Black



AUTO LOUVRE

Hidden within the gallery framing the Auto Louvre powered and controlled by a 24V DC plug and play control unit allows users to open and close the Louvres with a press of a button. Motor is always on left hand side.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
WHITE

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	324740	324744	324960	324988
30	2741mm	324739	324743	324959	324987
29	2651mm	324738	324742	324958	324986
28	2561mm	324737	324741	324957	324985
27	2471mm	321820	321845	324956	324984
26	2381mm	321819	321844	324955	324983
25	2291mm	321818	321843	324954	324982
24	2201mm	321817	321842	324953	324981
23	2111mm	321816	321841	324952	324980
22	2021mm	321815	321840	324951	324979
21	1931mm	321814	321839	324950	324978
20	1841mm	321813	321838	324949	324977
19	1751mm	321812	321837	324948	324976
18	1661mm	321811	321836	324947	324975
17	1571mm	321810	321835	324946	324974
16	1481mm	321809	321834	324945	324973
15	1391mm	321808	321833	324944	324972
14	1301mm	321807	321832	324943	324971
13	1211mm	321806	321831	324942	324970
12	1121mm	321805	321830	324941	324969
11	1031mm	321804	321829	324940	324968
10	941mm	321803	321828	324939	324967
9	851mm	321802	321827	324938	324966
8	761mm	321801	321826	324937	324965
7	671mm	321800	321825	324936	324964
6	581mm	321799	321824	324935	324963
5	491mm	321798	321823	324934	324962
4	401mm	321797	321822	324933	324961
3	311mm	321796	321821	N/A	N/A

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever,
blade clips and
trim is: White



LOW PROFILE HANDLE

The perfect all-rounder
suited to galleries with
blinds or curtains installed
or high out of reach
windows that require
a hook rod to operate.
Recommended blade
spans of up to **900mm**.



HANDING

Please note
handing is
viewed from
the inside
looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is
different to the standard height of
the gallery, Top Clip Loose offers a
means to customise the height through
modification, effectively setting loose
the very top clip from control. The top
clip is then fixed into place while the rest
of the louvre blades can operate.
To order a non-standard size, choose
next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
WHITE

LOCKING

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	332029	332058	332086	332114
30	2741mm	332028	332057	332085	332113
29	2651mm	332027	332056	332084	332112
28	2561mm	332026	332055	332083	332111
27	2471mm	332025	332054	332082	332110
26	2381mm	332024	332053	332081	332109
25	2291mm	332023	332052	332080	332108
24	2201mm	332022	332051	332079	332107
23	2111mm	332021	332050	332078	332106
22	2021mm	332020	332049	332077	332105
21	1931mm	332019	332048	332076	332104
20	1841mm	332018	332047	332075	332103
19	1751mm	332017	332046	332074	332102
18	1661mm	332016	332045	332073	332101
17	1571mm	332015	332044	332072	332100
16	1481mm	332014	332043	332071	332099
15	1391mm	332013	332042	332070	332098
14	1301mm	332012	332041	332069	332097
13	1211mm	332011	332040	332068	332096
12	1121mm	332010	332039	332067	332095
11	1031mm	332009	332038	332066	332094
10	941mm	332008	332037	332065	332093
9	851mm	332007	332036	332064	332092
8	761mm	332006	332035	332063	332091
7	671mm	332005	332034	332062	332090
6	581mm	332004	332033	332061	332089
5	491mm	332003	332032	332060	332088
4	401mm	332002	332031	332059	332087
3	311mm	332001	332030	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 102mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



COLOUR & TRIM

The handle/lever, blade clips and trim is: White




LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
WHITE

RESTRICTION

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	332143	332172	332200	332228
30	2741mm	332142	332171	332199	332227
29	2651mm	332141	332170	332198	332226
28	2561mm	332140	332169	332197	332225
27	2471mm	332139	332168	332196	332224
26	2381mm	332138	332167	332195	332223
25	2291mm	332137	332166	332194	332222
24	2201mm	332136	332165	332193	332221
23	2111mm	332135	332164	332192	332220
22	2021mm	332134	332163	332191	332219
21	1931mm	332133	332162	332190	332218
20	1841mm	332132	332161	332189	332217
19	1751mm	332131	332160	332188	332216
18	1661mm	332130	332159	332187	332215
17	1571mm	332129	332158	332186	332214
16	1481mm	332128	332157	332185	332213
15	1391mm	332127	332156	332184	332212
14	1301mm	332126	332155	332183	332211
13	1211mm	332125	332154	332182	332210
12	1121mm	332124	332153	332181	332209
11	1031mm	332123	332152	332180	332208
10	941mm	332122	332151	332179	332207
9	851mm	332121	332150	332178	332206
8	761mm	332120	332149	332177	332205
7	671mm	332119	332148	332176	332204
6	581mm	332118	332147	332175	332203
5	491mm	332117	332146	332174	332202
4	401mm	332116	332145	332173	332201
3	311mm	332115	332144	N/A	N/A

NON-STOCKED ITEMS

RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: White



LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
WHITE

LOCKING + RESTRICTED

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	332257	332286	332314	332342
30	2741mm	332256	332285	332313	332341
29	2651mm	332255	332284	332312	332340
28	2561mm	332254	332283	332311	332339
27	2471mm	332253	332282	332310	332338
26	2381mm	332252	332281	332309	332337
25	2291mm	332251	332280	332308	332336
24	2201mm	332250	332279	332307	332335
23	2111mm	332249	332278	332306	332334
22	2021mm	332248	332277	332305	332333
21	1931mm	332247	332276	332304	332332
20	1841mm	332246	332275	332303	332331
19	1751mm	332245	332274	332302	332330
18	1661mm	332244	332273	332301	332329
17	1571mm	332243	332272	332300	332328
16	1481mm	332242	332271	332299	332327
15	1391mm	332241	332270	332298	332326
14	1301mm	332240	332269	332297	332325
13	1211mm	332239	332268	332296	332324
12	1121mm	332238	332267	332295	332323
11	1031mm	332237	332266	332294	332322
10	941mm	332236	332265	332293	332321
9	851mm	332235	332264	332292	332320
8	761mm	332234	332263	332291	332319
7	671mm	332233	332262	332290	332318
6	581mm	332232	332261	332289	332317
5	491mm	332231	332260	332288	332316
4	401mm	332230	332259	332287	332315
3	311mm	332229	332258	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 102mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: White




LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

**HANDLE:
RING PULL**

**COLOUR: HANDLE, TRIM & GALLERY
WHITE**

NO. OF BLADES	GALLERY HEIGHT
31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	332371	332400	332428	332456
30	2741mm	332370	332399	332427	332455
29	2651mm	332369	332398	332426	332454
28	2561mm	332368	332397	332425	332453
27	2471mm	332367	332396	332424	332452
26	2381mm	332366	332395	332423	332451
25	2291mm	332365	332394	332422	332450
24	2201mm	332364	332393	332421	332449
23	2111mm	332363	332392	332420	332448
22	2021mm	332362	332391	332419	332447
21	1931mm	332361	332390	332418	332446
20	1841mm	332360	332389	332417	332445
19	1751mm	332359	332388	332416	332444
18	1661mm	332358	332387	332415	332443
17	1571mm	332357	332386	332414	332442
16	1481mm	332356	332385	332413	332441
15	1391mm	332355	332384	332412	332440
14	1301mm	332354	332383	332411	332439
13	1211mm	332353	332382	332410	332438
12	1121mm	332352	332381	332409	332437
11	1031mm	332351	332380	332408	332436
10	941mm	332350	332379	332407	332435
9	851mm	332349	332378	332406	332434
8	761mm	332348	332377	332405	332433
7	671mm	332347	332376	332404	332432
6	581mm	332346	332375	332403	332431
5	491mm	332345	332374	332402	332430
4	401mm	332344	332373	332401	332429
3	311mm	332343	332372	N/A	N/A

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever, blade clips and trim is: White



RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

HANDLE:
RING PULL

COLOUR: HANDLE, TRIM & GALLERY
WHITE

LOCKING

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	332485	332514	332542	332570
30	2741mm	332484	332513	332541	332569
29	2651mm	332483	332512	332540	332568
28	2561mm	332482	332511	332539	332567
27	2471mm	332481	332510	332538	332566
26	2381mm	332480	332509	332537	332565
25	2291mm	332479	332508	332536	332564
24	2201mm	332478	332507	332535	332563
23	2111mm	332477	332506	332534	332562
22	2021mm	332476	332505	332533	332561
21	1931mm	332475	332504	332532	332560
20	1841mm	332474	332503	332531	332559
19	1751mm	332473	332502	332530	332558
18	1661mm	332472	332501	332529	332557
17	1571mm	332471	332500	332528	332556
16	1481mm	332470	332499	332527	332555
15	1391mm	332469	332498	332526	332554
14	1301mm	332468	332497	332525	332553
13	1211mm	332467	332496	332524	332552
12	1121mm	332466	332495	332523	332551
11	1031mm	332465	332494	332522	332550
10	941mm	332464	332493	332521	332549
9	851mm	332463	332492	332520	332548
8	761mm	332462	332491	332519	332547
7	671mm	332461	332490	332518	332546
6	581mm	332460	332489	332517	332545
5	491mm	332459	332488	332516	332544
4	401mm	332458	332487	332515	332543
3	311mm	332457	332486	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 102mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



COLOUR & TRIM

The handle/lever, blade clips and trim is: White




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

**HANDLE:
RING PULL**

**COLOUR: HANDLE, TRIM & GALLERY
WHITE**

RESTRICTION

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	332599	332628	332656	332684
30	2741mm	332598	332627	332655	332683
29	2651mm	332597	332626	332654	332682
28	2561mm	332596	332625	332653	332681
27	2471mm	332595	332624	332652	332680
26	2381mm	332594	332623	332651	332679
25	2291mm	332593	332622	332650	332678
24	2201mm	332592	332621	332649	332677
23	2111mm	332591	332620	332648	332676
22	2021mm	332590	332619	332647	332675
21	1931mm	332589	332618	332646	332674
20	1841mm	332588	332617	332645	332673
19	1751mm	332587	332616	332644	332672
18	1661mm	332586	332615	332643	332671
17	1571mm	332585	332614	332642	332670
16	1481mm	332584	332613	332641	332669
15	1391mm	332583	332612	332640	332668
14	1301mm	332582	332611	332639	332667
13	1211mm	332581	332610	332638	332666
12	1121mm	332580	332609	332637	332665
11	1031mm	332579	332608	332636	332664
10	941mm	332578	332607	332635	332663
9	851mm	332577	332606	332634	332662
8	761mm	332576	332605	332633	332661
7	671mm	332575	332604	332632	332660
6	581mm	332574	332603	332631	332659
5	491mm	332573	332602	332630	332658
4	401mm	332572	332601	332629	332657
3	311mm	332571	332600	N/A	N/A

NON-STOCKED ITEMS

RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: White



RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

**HANDLE:
RING PULL**

**COLOUR: HANDLE, TRIM & GALLERY
WHITE**

LOCKING + RESTRICTED

NO. OF BLADES	GALLERY HEIGHT
31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	332713	332742	332770	332798
30	2741mm	332712	332741	332769	332797
29	2651mm	332711	332740	332768	332796
28	2561mm	332710	332739	332767	332795
27	2471mm	332709	332738	332766	332794
26	2381mm	332708	332737	332765	332793
25	2291mm	332707	332736	332764	332792
24	2201mm	332706	332735	332763	332791
23	2111mm	332705	332734	332762	332790
22	2021mm	332704	332733	332761	332789
21	1931mm	332703	332732	332760	332788
20	1841mm	332702	332731	332759	332787
19	1751mm	332701	332730	332758	332786
18	1661mm	332700	332729	332757	332785
17	1571mm	332699	332728	332756	332784
16	1481mm	332698	332727	332755	332783
15	1391mm	332697	332726	332754	332782
14	1301mm	332696	332725	332753	332781
13	1211mm	332695	332724	332752	332780
12	1121mm	332694	332723	332751	332779
11	1031mm	332693	332722	332750	332778
10	941mm	332692	332721	332749	332777
9	851mm	332691	332720	332748	332776
8	761mm	332690	332719	332747	332775
7	671mm	332689	332718	332746	332774
6	581mm	332688	332717	332745	332773
5	491mm	332687	332716	332744	332772
4	401mm	332686	332715	332743	332771
3	311mm	332685	332714	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 102mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: White




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.




VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

HANDLE:
AUTO

COLOUR: HANDLE, TRIM & GALLERY
WHITE



NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes		LH No Holes	
31	2831mm	325727		325755	
30	2741mm	325726		325754	
29	2651mm	325725		325753	
28	2561mm	325724		325752	
27	2471mm	321895		325751	
26	2381mm	321894		325750	
25	2291mm	321893		325749	
24	2201mm	321892		325748	
23	2111mm	321891		325747	
22	2021mm	321890		325746	
21	1931mm	321889		325745	
20	1841mm	321888		325744	
19	1751mm	321887		325743	
18	1661mm	321886		325742	
17	1571mm	321885		325741	
16	1481mm	321884		325740	
15	1391mm	321883		325739	
14	1301mm	321882		325738	
13	1211mm	321881		325737	
12	1121mm	321880		325736	
11	1031mm	321879		325735	
10	941mm	321878		325734	
9	851mm	321877		325733	
8	761mm	321876		325732	
7	671mm	321875		325731	
6	581mm	321874		325730	
5	491mm	321873		325729	
4	401mm	321872		325728	
3	311mm	N/A		N/A	

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever, blade clips and trim is: White



AUTO LOUVRE

Hidden within the gallery framing the Auto Louvre powered and controlled by a 24V DC plug and play control unit allows users to open and close the Louvres with a press of a button. Motor is always on left hand side.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

102 SERIES

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
SILVER

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	324748	324752	325016	325044
30	2741mm	324747	324751	325015	325043
29	2651mm	324746	324750	325014	325042
28	2561mm	324745	324749	325013	325041
27	2471mm	321670	321695	325012	325040
26	2381mm	321669	321694	325011	325039
25	2291mm	321668	321693	325010	325038
24	2201mm	321667	321692	325009	325037
23	2111mm	321666	321691	325008	325036
22	2021mm	321665	321690	325007	325035
21	1931mm	321664	321689	325006	325034
20	1841mm	321663	321688	325005	325033
19	1751mm	321662	321687	325004	325032
18	1661mm	321661	321686	325003	325031
17	1571mm	321660	321685	325002	325030
16	1481mm	321659	321684	325001	325029
15	1391mm	321658	321683	325000	325028
14	1301mm	321657	321682	324999	325027
13	1211mm	321656	321681	324998	325026
12	1121mm	321655	321680	324997	325025
11	1031mm	321654	321679	324996	325024
10	941mm	321653	321678	324995	325023
9	851mm	321652	321677	324994	325022
8	761mm	321651	321676	324993	325021
7	671mm	321650	321675	324992	325020
6	581mm	321649	321674	324991	325019
5	491mm	321648	321673	324990	325018
4	401mm	321647	321672	324989	325017
3	311mm	321646	321671	N/A	N/A

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever, blade clips and trim is: Silver



LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
SILVER

LOCKING

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	332827	332856	332884	332912
30	2741mm	332826	332855	332883	332911
29	2651mm	332825	332854	332882	332910
28	2561mm	332824	332853	332881	332909
27	2471mm	332823	332852	332880	332908
26	2381mm	332822	332851	332879	332907
25	2291mm	332821	332850	332878	332906
24	2201mm	332820	332849	332877	332905
23	2111mm	332819	332848	332876	332904
22	2021mm	332818	332847	332875	332903
21	1931mm	332817	332846	332874	332902
20	1841mm	332816	332845	332873	332901
19	1751mm	332815	332844	332872	332900
18	1661mm	332814	332843	332871	332899
17	1571mm	332813	332842	332870	332898
16	1481mm	332812	332841	332869	332897
15	1391mm	332811	332840	332868	332896
14	1301mm	332810	332839	332867	332895
13	1211mm	332809	332838	332866	332894
12	1121mm	332808	332837	332865	332893
11	1031mm	332807	332836	332864	332892
10	941mm	332806	332835	332863	332891
9	851mm	332805	332834	332862	332890
8	761mm	332804	332833	332861	332889
7	671mm	332803	332832	332860	332888
6	581mm	332802	332831	332859	332887
5	491mm	332801	332830	332858	332886
4	401mm	332800	332829	332857	332885
3	311mm	332799	332828	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 102mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Silver




LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

102 SERIES

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
SILVER

RESTRICTION

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	332941	332970	332998	333026
30	2741mm	332940	332969	332997	333025
29	2651mm	332939	332968	332996	333024
28	2561mm	332938	332967	332995	333023
27	2471mm	332937	332966	332994	333022
26	2381mm	332936	332965	332993	333021
25	2291mm	332935	332964	332992	333020
24	2201mm	332934	332963	332991	333019
23	2111mm	332933	332962	332990	333018
22	2021mm	332932	332961	332989	333017
21	1931mm	332931	332960	332988	333016
20	1841mm	332930	332959	332987	333015
19	1751mm	332929	332958	332986	333014
18	1661mm	332928	332957	332985	333013
17	1571mm	332927	332956	332984	333012
16	1481mm	332926	332955	332983	333011
15	1391mm	332925	332954	332982	333010
14	1301mm	332924	332953	332981	333009
13	1211mm	332923	332952	332980	333008
12	1121mm	332922	332951	332979	333007
11	1031mm	332921	332950	332978	333006
10	941mm	332920	332949	332977	333005
9	851mm	332919	332948	332976	333004
8	761mm	332918	332947	332975	333003
7	671mm	332917	332946	332974	333002
6	581mm	332916	332945	332973	333001
5	491mm	332915	332944	332972	333000
4	401mm	332914	332943	332971	332999
3	311mm	332913	332942	N/A	N/A

NON-STOCKED ITEMS

RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Silver



LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
SILVER

LOCKING + RESTRICTED

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	333055	333084	333112	333140
30	2741mm	333054	333083	333111	333139
29	2651mm	333053	333082	333110	333138
28	2561mm	333052	333081	333109	333137
27	2471mm	333051	333080	333108	333136
26	2381mm	333050	333079	333107	333135
25	2291mm	333049	333078	333106	333134
24	2201mm	333048	333077	333105	333133
23	2111mm	333047	333076	333104	333132
22	2021mm	333046	333075	333103	333131
21	1931mm	333045	333074	333102	333130
20	1841mm	333044	333073	333101	333129
19	1751mm	333043	333072	333100	333128
18	1661mm	333042	333071	333099	333127
17	1571mm	333041	333070	333098	333126
16	1481mm	333040	333069	333097	333125
15	1391mm	333039	333068	333096	333124
14	1301mm	333038	333067	333095	333123
13	1211mm	333037	333066	333094	333122
12	1121mm	333036	333065	333093	333121
11	1031mm	333035	333064	333092	333120
10	941mm	333034	333063	333091	333119
9	851mm	333033	333062	333090	333118
8	761mm	333032	333061	333089	333117
7	671mm	333031	333060	333088	333116
6	581mm	333030	333059	333087	333115
5	491mm	333029	333058	333086	333114
4	401mm	333028	333057	333085	333113
3	311mm	333027	333056	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 102mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Silver




LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

NO. OF BLADES	GALLERY HEIGHT
31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

102 SERIES

HANDLE:
RING PULL

COLOUR: HANDLE, TRIM & GALLERY
SILVER

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	333169	333198	333226	333254
30	2741mm	333168	333197	333225	333253
29	2651mm	333167	333196	333224	333252
28	2561mm	333166	333195	333223	333251
27	2471mm	333165	333194	333222	333250
26	2381mm	333164	333193	333221	333249
25	2291mm	333163	333192	333220	333248
24	2201mm	333162	333191	333219	333247
23	2111mm	333161	333190	333218	333246
22	2021mm	333160	333189	333217	333245
21	1931mm	333159	333188	333216	333244
20	1841mm	333158	333187	333215	333243
19	1751mm	333157	333186	333214	333242
18	1661mm	333156	333185	333213	333241
17	1571mm	333155	333184	333212	333240
16	1481mm	333154	333183	333211	333239
15	1391mm	333153	333182	333210	333238
14	1301mm	333152	333181	333209	333237
13	1211mm	333151	333180	333208	333236
12	1121mm	333150	333179	333207	333235
11	1031mm	333149	333178	333206	333234
10	941mm	333148	333177	333205	333233
9	851mm	333147	333176	333204	333232
8	761mm	333146	333175	333203	333231
7	671mm	333145	333174	333202	333230
6	581mm	333144	333173	333201	333229
5	491mm	333143	333172	333200	333228
4	401mm	333142	333171	333199	333227
3	311mm	333141	333170	N/A	N/A

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever, blade clips and trim is: Silver



RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

HANDLE:
RING PULL

COLOUR: HANDLE, TRIM & GALLERY
SILVER

LOCKING

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	333283	333312	333340	333368
30	2741mm	333282	333311	333339	333367
29	2651mm	333281	333310	333338	333366
28	2561mm	333280	333309	333337	333365
27	2471mm	333279	333308	333336	333364
26	2381mm	333278	333307	333335	333363
25	2291mm	333277	333306	333334	333362
24	2201mm	333276	333305	333333	333361
23	2111mm	333275	333304	333332	333360
22	2021mm	333274	333303	333331	333359
21	1931mm	333273	333302	333330	333358
20	1841mm	333272	333301	333329	333357
19	1751mm	333271	333300	333328	333356
18	1661mm	333270	333299	333327	333355
17	1571mm	333269	333298	333326	333354
16	1481mm	333268	333297	333325	333353
15	1391mm	333267	333296	333324	333352
14	1301mm	333266	333295	333323	333351
13	1211mm	333265	333294	333322	333350
12	1121mm	333264	333293	333321	333349
11	1031mm	333263	333292	333320	333348
10	941mm	333262	333291	333319	333347
9	851mm	333261	333290	333318	333346
8	761mm	333260	333289	333317	333345
7	671mm	333259	333288	333316	333344
6	581mm	333258	333287	333315	333343
5	491mm	333257	333286	333314	333342
4	401mm	333256	333285	333313	333341
3	311mm	333255	333284	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 102mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Silver




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

102 SERIES

HANDLE:
RING PULL

COLOUR: HANDLE, TRIM & GALLERY
SILVER

RESTRICTION

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	333397	333426	333454	333482
30	2741mm	333396	333425	333453	333481
29	2651mm	333395	333424	333452	333480
28	2561mm	333394	333423	333451	333479
27	2471mm	333393	333422	333450	333478
26	2381mm	333392	333421	333449	333477
25	2291mm	333391	333420	333448	333476
24	2201mm	333390	333419	333447	333475
23	2111mm	333389	333418	333446	333474
22	2021mm	333388	333417	333445	333473
21	1931mm	333387	333416	333444	333472
20	1841mm	333386	333415	333443	333471
19	1751mm	333385	333414	333442	333470
18	1661mm	333384	333413	333441	333469
17	1571mm	333383	333412	333440	333468
16	1481mm	333382	333411	333439	333467
15	1391mm	333381	333410	333438	333466
14	1301mm	333380	333409	333437	333465
13	1211mm	333379	333408	333436	333464
12	1121mm	333378	333407	333435	333463
11	1031mm	333377	333406	333434	333462
10	941mm	333376	333405	333433	333461
9	851mm	333375	333404	333432	333460
8	761mm	333374	333403	333431	333459
7	671mm	333373	333402	333430	333458
6	581mm	333372	333401	333429	333457
5	491mm	333371	333400	333428	333456
4	401mm	333370	333399	333427	333455
3	311mm	333369	333398	N/A	N/A

NON-STOCKED ITEMS

RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Silver



RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

NO. OF BLADES	GALLERY HEIGHT
31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

**102
SERIES**

HANDLE:
RING PULL

COLOUR: HANDLE, TRIM & GALLERY
SILVER

LOCKING + RESTRICTED

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	333511	333540	333568	333596
30	2741mm	333510	333539	333567	333595
29	2651mm	333509	333538	333566	333594
28	2561mm	333508	333537	333565	333593
27	2471mm	333507	333536	333564	333592
26	2381mm	333506	333535	333563	333591
25	2291mm	333505	333534	333562	333590
24	2201mm	333504	333533	333561	333589
23	2111mm	333503	333532	333560	333588
22	2021mm	333502	333531	333559	333587
21	1931mm	333501	333530	333558	333586
20	1841mm	333500	333529	333557	333585
19	1751mm	333499	333528	333556	333584
18	1661mm	333498	333527	333555	333583
17	1571mm	333497	333526	333554	333582
16	1481mm	333496	333525	333553	333581
15	1391mm	333495	333524	333552	333580
14	1301mm	333494	333523	333551	333579
13	1211mm	333493	333522	333550	333578
12	1121mm	333492	333521	333549	333577
11	1031mm	333491	333520	333548	333576
10	941mm	333490	333519	333547	333575
9	851mm	333489	333518	333546	333574
8	761mm	333488	333517	333545	333573
7	671mm	333487	333516	333544	333572
6	581mm	333486	333515	333543	333571
5	491mm	333485	333514	333542	333570
4	401mm	333484	333513	333541	333569
3	311mm	333483	333512	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 102mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Silver




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.




TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS



102 SERIES

HANDLE:
AUTO

COLOUR: HANDLE, TRIM & GALLERY
SILVER

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes		LH No Holes	
31	2831mm	325695		325723	
30	2741mm	325694		325722	
29	2651mm	325693		325721	
28	2561mm	325692		325720	
27	2471mm	321745		325719	
26	2381mm	321744		325718	
25	2291mm	321743		325717	
24	2201mm	321742		325716	
23	2111mm	321741		325715	
22	2021mm	321740		325714	
21	1931mm	321739		325713	
20	1841mm	321738		325712	
19	1751mm	321737		325711	
18	1661mm	321736		325710	
17	1571mm	321735		325709	
16	1481mm	321734		325708	
15	1391mm	321733		325707	
14	1301mm	321732		325706	
13	1211mm	321731		325705	
12	1121mm	321730		325704	
11	1031mm	321729		325703	
10	941mm	321728		325702	
9	851mm	321727		325701	
8	761mm	321726		325700	
7	671mm	321725		325699	
6	581mm	321724		325698	
5	491mm	321723		325697	
4	401mm	321722		325696	
3	311mm	N/A		N/A	

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever, blade clips and trim is: Silver



AUTO LOUVRE

Hidden within the gallery framing the Auto Louvre powered and controlled by a 24V DC plug and play control unit allows users to open and close the Louvres with a press of a button. Motor is always on left hand side.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

NO. OF BLADES	GALLERY HEIGHT
31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

102 SERIES

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
MONUMENT

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	324781	324810	325072	325100
30	2741mm	324780	324809	325071	325099
29	2651mm	324779	324808	325070	325098
28	2561mm	324778	324807	325069	325097
27	2471mm	324777	324806	325068	325096
26	2381mm	324776	324805	325067	325095
25	2291mm	324775	324804	325066	325094
24	2201mm	324774	324803	325065	325093
23	2111mm	324773	324802	325064	325092
22	2021mm	324772	324801	325063	325091
21	1931mm	324771	324800	325062	325090
20	1841mm	324770	324799	325061	325089
19	1751mm	324769	324798	325060	325088
18	1661mm	324768	324797	325059	325087
17	1571mm	324767	324796	325058	325086
16	1481mm	324766	324795	325057	325085
15	1391mm	324765	324794	325056	325084
14	1301mm	324764	324793	325055	325083
13	1211mm	324763	324792	325054	325082
12	1121mm	324762	324791	325053	325081
11	1031mm	324761	324790	325052	325080
10	941mm	324760	324789	325051	325079
9	851mm	324759	324788	325050	325078
8	761mm	324758	324787	325049	325077
7	671mm	324757	324786	325048	325076
6	581mm	324756	324785	325047	325075
5	491mm	324755	324784	325046	325074
4	401mm	324754	324783	325045	325073
3	311mm	324753	324782	N/A	N/A

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever, blade clips and trim is:
Monument



LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
MONUMENT

LOCKING

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	333625	333654	333682	333710
30	2741mm	333624	333653	333681	333709
29	2651mm	333623	333652	333680	333708
28	2561mm	333622	333651	333679	333707
27	2471mm	333621	333650	333678	333706
26	2381mm	333620	333649	333677	333705
25	2291mm	333619	333648	333676	333704
24	2201mm	333618	333647	333675	333703
23	2111mm	333617	333646	333674	333702
22	2021mm	333616	333645	333673	333701
21	1931mm	333615	333644	333672	333700
20	1841mm	333614	333643	333671	333699
19	1751mm	333613	333642	333670	333698
18	1661mm	333612	333641	333669	333697
17	1571mm	333611	333640	333668	333696
16	1481mm	333610	333639	333667	333695
15	1391mm	333609	333638	333666	333694
14	1301mm	333608	333637	333665	333693
13	1211mm	333607	333636	333664	333692
12	1121mm	333606	333635	333663	333691
11	1031mm	333605	333634	333662	333690
10	941mm	333604	333633	333661	333689
9	851mm	333603	333632	333660	333688
8	761mm	333602	333631	333659	333687
7	671mm	333601	333630	333658	333686
6	581mm	333600	333629	333657	333685
5	491mm	333599	333628	333656	333684
4	401mm	333598	333627	333655	333683
3	311mm	333597	333626	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 102mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Monument



LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
MONUMENT

RESTRICTION

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	333739	333768	333796	333824
30	2741mm	333738	333767	333795	333823
29	2651mm	333737	333766	333794	333822
28	2561mm	333736	333765	333793	333821
27	2471mm	333735	333764	333792	333820
26	2381mm	333734	333763	333791	333819
25	2291mm	333733	333762	333790	333818
24	2201mm	333732	333761	333789	333817
23	2111mm	333731	333760	333788	333816
22	2021mm	333730	333759	333787	333815
21	1931mm	333729	333758	333786	333814
20	1841mm	333728	333757	333785	333813
19	1751mm	333727	333756	333784	333812
18	1661mm	333726	333755	333783	333811
17	1571mm	333725	333754	333782	333810
16	1481mm	333724	333753	333781	333809
15	1391mm	333723	333752	333780	333808
14	1301mm	333722	333751	333779	333807
13	1211mm	333721	333750	333778	333806
12	1121mm	333720	333749	333777	333805
11	1031mm	333719	333748	333776	333804
10	941mm	333718	333747	333775	333803
9	851mm	333717	333746	333774	333802
8	761mm	333716	333745	333773	333801
7	671mm	333715	333744	333772	333800
6	581mm	333714	333743	333771	333799
5	491mm	333713	333742	333770	333798
4	401mm	333712	333741	333769	333797
3	311mm	333711	333740	N/A	N/A

NON-STOCKED ITEMS

RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Monument



LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
MONUMENT

LOCKING + RESTRICTED

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	333853	333882	333910	333938
30	2741mm	333852	333881	333909	333937
29	2651mm	333851	333880	333908	333936
28	2561mm	333850	333879	333907	333935
27	2471mm	333849	333878	333906	333934
26	2381mm	333848	333877	333905	333933
25	2291mm	333847	333876	333904	333932
24	2201mm	333846	333875	333903	333931
23	2111mm	333845	333874	333902	333930
22	2021mm	333844	333873	333901	333929
21	1931mm	333843	333872	333900	333928
20	1841mm	333842	333871	333899	333927
19	1751mm	333841	333870	333898	333926
18	1661mm	333840	333869	333897	333925
17	1571mm	333839	333868	333896	333924
16	1481mm	333838	333867	333895	333923
15	1391mm	333837	333866	333894	333922
14	1301mm	333836	333865	333893	333921
13	1211mm	333835	333864	333892	333920
12	1121mm	333834	333863	333891	333919
11	1031mm	333833	333862	333890	333918
10	941mm	333832	333861	333889	333917
9	851mm	333831	333860	333888	333916
8	761mm	333830	333859	333887	333915
7	671mm	333829	333858	333886	333914
6	581mm	333828	333857	333885	333913
5	491mm	333827	333856	333884	333912
4	401mm	333826	333855	333883	333911
3	311mm	333825	333854	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 102mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Monument




LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF
BLADES

GALLERY
HEIGHT

3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

102
SERIES

HANDLE:
RING PULL

COLOUR: HANDLE, TRIM & GALLERY
MONUMENT

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	333967	333996	334024	334052
30	2741mm	333966	333995	334023	334051
29	2651mm	333965	333994	334022	334050
28	2561mm	333964	333993	334021	334049
27	2471mm	333963	333992	334020	334048
26	2381mm	333962	333991	334019	334047
25	2291mm	333961	333990	334018	334046
24	2201mm	333960	333989	334017	334045
23	2111mm	333959	333988	334016	334044
22	2021mm	333958	333987	334015	334043
21	1931mm	333957	333986	334014	334042
20	1841mm	333956	333985	334013	334041
19	1751mm	333955	333984	334012	334040
18	1661mm	333954	333983	334011	334039
17	1571mm	333953	333982	334010	334038
16	1481mm	333952	333981	334009	334037
15	1391mm	333951	333980	334008	334036
14	1301mm	333950	333979	334007	334035
13	1211mm	333949	333978	334006	334034
12	1121mm	333948	333977	334005	334033
11	1031mm	333947	333976	334004	334032
10	941mm	333946	333975	334003	334031
9	851mm	333945	333974	334002	334030
8	761mm	333944	333973	334001	334029
7	671mm	333943	333972	334000	334028
6	581mm	333942	333971	333999	334027
5	491mm	333941	333970	333998	334026
4	401mm	333940	333969	333997	334025
3	311mm	333939	333968	N/A	N/A

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever,
blade clips and
trim is:
Monument



RING PULL HANDLE

Generous grip for
operation by hand, and a
large eyelet for use with a
map-rod pole. The perfect
choice for the high and
hard to reach galleries.
Recommended blade
spans of up to **900mm**.



HANDING

Please note
handing is
viewed from
the inside
looking out.



Left
Hand



Right
Hand

TCL - TOP CLIP LOOSE

Where the height of the opening is
different to the standard height of
the gallery, Top Clip Loose offers a
means to customise the height through
modification, effectively setting loose
the very top clip from control. The top
clip is then fixed into place while the rest
of the louvre blades can operate.
To order a non-standard size, choose
next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

HANDLE:
RING PULL

COLOUR: HANDLE, TRIM & GALLERY
MONUMENT

LOCKING

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	334081	334110	334138	334166
30	2741mm	334080	334109	334137	334165
29	2651mm	334079	334108	334136	334164
28	2561mm	334078	334107	334135	334163
27	2471mm	334077	334106	334134	334162
26	2381mm	334076	334105	334133	334161
25	2291mm	334075	334104	334132	334160
24	2201mm	334074	334103	334131	334159
23	2111mm	334073	334102	334130	334158
22	2021mm	334072	334101	334129	334157
21	1931mm	334071	334100	334128	334156
20	1841mm	334070	334099	334127	334155
19	1751mm	334069	334098	334126	334154
18	1661mm	334068	334097	334125	334153
17	1571mm	334067	334096	334124	334152
16	1481mm	334066	334095	334123	334151
15	1391mm	334065	334094	334122	334150
14	1301mm	334064	334093	334121	334149
13	1211mm	334063	334092	334120	334148
12	1121mm	334062	334091	334119	334147
11	1031mm	334061	334090	334118	334146
10	941mm	334060	334089	334117	334145
9	851mm	334059	334088	334116	334144
8	761mm	334058	334087	334115	334143
7	671mm	334057	334086	334114	334142
6	581mm	334056	334085	334113	334141
5	491mm	334055	334084	334112	334140
4	401mm	334054	334083	334111	334139
3	311mm	334053	334082	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 102mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Monument




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF
BLADES

GALLERY
HEIGHT

3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

102
SERIES

HANDLE:
RING PULL

COLOUR: HANDLE, TRIM & GALLERY
MONUMENT

RESTRICTION

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	334195	334224	334252	334280
30	2741mm	334194	334223	334251	334279
29	2651mm	334193	334222	334250	334278
28	2561mm	334192	334221	334249	334277
27	2471mm	334191	334220	334248	334276
26	2381mm	334190	334219	334247	334275
25	2291mm	334189	334218	334246	334274
24	2201mm	334188	334217	334245	334273
23	2111mm	334187	334216	334244	334272
22	2021mm	334186	334215	334243	334271
21	1931mm	334185	334214	334242	334270
20	1841mm	334184	334213	334241	334269
19	1751mm	334183	334212	334240	334268
18	1661mm	334182	334211	334239	334267
17	1571mm	334181	334210	334238	334266
16	1481mm	334180	334209	334237	334265
15	1391mm	334179	334208	334236	334264
14	1301mm	334178	334207	334235	334263
13	1211mm	334177	334206	334234	334262
12	1121mm	334176	334205	334233	334261
11	1031mm	334175	334204	334232	334260
10	941mm	334174	334203	334231	334259
9	851mm	334173	334202	334230	334258
8	761mm	334172	334201	334229	334257
7	671mm	334171	334200	334228	334256
6	581mm	334170	334199	334227	334255
5	491mm	334169	334198	334226	334254
4	401mm	334168	334197	334225	334253
3	311mm	334167	334196	N/A	N/A

NON-STOCKED ITEMS

RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Monument



RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

NO. OF BLADES	GALLERY HEIGHT
31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

102 SERIES

HANDLE:
RING PULL

COLOUR: HANDLE, TRIM & GALLERY
MONUMENT

LOCKING + RESTRICTED

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	334309	334338	334366	334394
30	2741mm	334308	334337	334365	334393
29	2651mm	334307	334336	334364	334392
28	2561mm	334306	334335	334363	334391
27	2471mm	334305	334334	334362	334390
26	2381mm	334304	334333	334361	334389
25	2291mm	334303	334332	334360	334388
24	2201mm	334302	334331	334359	334387
23	2111mm	334301	334330	334358	334386
22	2021mm	334300	334329	334357	334385
21	1931mm	334299	334328	334356	334384
20	1841mm	334298	334327	334355	334383
19	1751mm	334297	334326	334354	334382
18	1661mm	334296	334325	334353	334381
17	1571mm	334295	334324	334352	334380
16	1481mm	334294	334323	334351	334379
15	1391mm	334293	334322	334350	334378
14	1301mm	334292	334321	334349	334377
13	1211mm	334291	334320	334348	334376
12	1121mm	334290	334319	334347	334375
11	1031mm	334289	334318	334346	334374
10	941mm	334288	334317	334345	334373
9	851mm	334287	334316	334344	334372
8	761mm	334286	334315	334343	334371
7	671mm	334285	334314	334342	334370
6	581mm	334284	334313	334341	334369
5	491mm	334283	334312	334340	334368
4	401mm	334282	334311	334339	334367
3	311mm	334281	334310	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 102mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is:




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.




TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS



102 SERIES

HANDLE:
AUTO

COLOUR: HANDLE, TRIM & GALLERY
MONUMENT

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes		LH No Holes	
31	2831mm	325783		325811	
30	2741mm	325782		325810	
29	2651mm	325781		325809	
28	2561mm	325780		325808	
27	2471mm	325779		325807	
26	2381mm	325778		325806	
25	2291mm	325777		325805	
24	2201mm	325776		325804	
23	2111mm	325775		325803	
22	2021mm	325774		325802	
21	1931mm	325773		325801	
20	1841mm	325772		325800	
19	1751mm	325771		325799	
18	1661mm	325770		325798	
17	1571mm	325769		325797	
16	1481mm	325768		325796	
15	1391mm	325767		325795	
14	1301mm	325766		325794	
13	1211mm	325765		325793	
12	1121mm	325764		325792	
11	1031mm	325763		325791	
10	941mm	325762		325790	
9	851mm	325761		325789	
8	761mm	325760		325788	
7	671mm	325759		325787	
6	581mm	325758		325786	
5	491mm	325757		325785	
4	401mm	325756		325784	
3	311mm	N/A		N/A	

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever, blade clips and trim is:
Monument



AUTO LOUVRE

Hidden within the gallery framing the Auto Louvre powered and controlled by a 24V DC plug and play control unit allows users to open and close the Louvres with a press of a button. Motor is always on left hand side.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF
BLADES

GALLERY
HEIGHT

3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

102
SERIES

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
SURFMIST

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	324839	324868	325128	325156
30	2741mm	324838	324867	325127	325155
29	2651mm	324837	324866	325126	325154
28	2561mm	324836	324865	325125	325153
27	2471mm	324835	324864	325124	325152
26	2381mm	324834	324863	325123	325151
25	2291mm	324833	324862	325122	325150
24	2201mm	324832	324861	325121	325149
23	2111mm	324831	324860	325120	325148
22	2021mm	324830	324859	325119	325147
21	1931mm	324829	324858	325118	325146
20	1841mm	324828	324857	325117	325145
19	1751mm	324827	324856	325116	325144
18	1661mm	324826	324855	325115	325143
17	1571mm	324825	324854	325114	325142
16	1481mm	324824	324853	325113	325141
15	1391mm	324823	324852	325112	325140
14	1301mm	324822	324851	325111	325139
13	1211mm	324821	324850	325110	325138
12	1121mm	324820	324849	325109	325137
11	1031mm	324819	324848	325108	325136
10	941mm	324818	324847	325107	325135
9	851mm	324817	324846	325106	325134
8	761mm	324816	324845	325105	325133
7	671mm	324815	324844	325104	325132
6	581mm	324814	324843	325103	325131
5	491mm	324813	324842	325102	325130
4	401mm	324812	324841	325101	325129
3	311mm	324811	324840	N/A	N/A

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever,
blade clips and
trim is: Surfmist



LOW PROFILE HANDLE

The perfect all-rounder
suited to galleries with
blinds or curtains installed
or high out of reach
windows that require
a hook rod to operate.
Recommended blade
spans of up to 900mm.



HANDING

Please note
handing is
viewed from
the inside
looking out.



Left
Hand



Right
Hand

TCL - TOP CLIP LOOSE

Where the height of the opening is
different to the standard height of
the gallery, Top Clip Loose offers a
means to customise the height through
modification, effectively setting loose
the very top clip from control. The top
clip is then fixed into place while the rest
of the louvre blades can operate.
To order a non-standard size, choose
next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
SURFMIST

LOCKING

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	334423	334452	334480	334508
30	2741mm	334422	334451	334479	334507
29	2651mm	334421	334450	334478	334506
28	2561mm	334420	334449	334477	334505
27	2471mm	334419	334448	334476	334504
26	2381mm	334418	334447	334475	334503
25	2291mm	334417	334446	334474	334502
24	2201mm	334416	334445	334473	334501
23	2111mm	334415	334444	334472	334500
22	2021mm	334414	334443	334471	334499
21	1931mm	334413	334442	334470	334498
20	1841mm	334412	334441	334469	334497
19	1751mm	334411	334440	334468	334496
18	1661mm	334410	334439	334467	334495
17	1571mm	334409	334438	334466	334494
16	1481mm	334408	334437	334465	334493
15	1391mm	334407	334436	334464	334492
14	1301mm	334406	334435	334463	334491
13	1211mm	334405	334434	334462	334490
12	1121mm	334404	334433	334461	334489
11	1031mm	334403	334432	334460	334488
10	941mm	334402	334431	334459	334487
9	851mm	334401	334430	334458	334486
8	761mm	334400	334429	334457	334485
7	671mm	334399	334428	334456	334484
6	581mm	334398	334427	334455	334483
5	491mm	334397	334426	334454	334482
4	401mm	334396	334425	334453	334481
3	311mm	334395	334424	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 102mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Surfmist



LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

102 SERIES

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
SURFMIST

RESTRICTION

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	334537	334566	334594	334622
30	2741mm	334536	334565	334593	334621
29	2651mm	334535	334564	334592	334620
28	2561mm	334534	334563	334591	334619
27	2471mm	334533	334562	334590	334618
26	2381mm	334532	334561	334589	334617
25	2291mm	334531	334560	334588	334616
24	2201mm	334530	334559	334587	334615
23	2111mm	334529	334558	334586	334614
22	2021mm	334528	334557	334585	334613
21	1931mm	334527	334556	334584	334612
20	1841mm	334526	334555	334583	334611
19	1751mm	334525	334554	334582	334610
18	1661mm	334524	334553	334581	334609
17	1571mm	334523	334552	334580	334608
16	1481mm	334522	334551	334579	334607
15	1391mm	334521	334550	334578	334606
14	1301mm	334520	334549	334577	334605
13	1211mm	334519	334548	334576	334604
12	1121mm	334518	334547	334575	334603
11	1031mm	334517	334546	334574	334602
10	941mm	334516	334545	334573	334601
9	851mm	334515	334544	334572	334600
8	761mm	334514	334543	334571	334599
7	671mm	334513	334542	334570	334598
6	581mm	334512	334541	334569	334597
5	491mm	334511	334540	334568	334596
4	401mm	334510	334539	334567	334595
3	311mm	334509	334538	N/A	N/A

NON-STOCKED ITEMS

RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Surfmist




LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

HANDLE:
LOW PROFILE

COLOUR: HANDLE, TRIM & GALLERY
SURFMIST

LOCKING + RESTRICTED

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	334651	334680	334708	334736
30	2741mm	334650	334679	334707	334735
29	2651mm	334649	334678	334706	334734
28	2561mm	334648	334677	334705	334733
27	2471mm	334647	334676	334704	334732
26	2381mm	334646	334675	334703	334731
25	2291mm	334645	334674	334702	334730
24	2201mm	334644	334673	334701	334729
23	2111mm	334643	334672	334700	334728
22	2021mm	334642	334671	334699	334727
21	1931mm	334641	334670	334698	334726
20	1841mm	334640	334669	334697	334725
19	1751mm	334639	334668	334696	334724
18	1661mm	334638	334667	334695	334723
17	1571mm	334637	334666	334694	334722
16	1481mm	334636	334665	334693	334721
15	1391mm	334635	334664	334692	334720
14	1301mm	334634	334663	334691	334719
13	1211mm	334633	334662	334690	334718
12	1121mm	334632	334661	334689	334717
11	1031mm	334631	334660	334688	334716
10	941mm	334630	334659	334687	334715
9	851mm	334629	334658	334686	334714
8	761mm	334628	334657	334685	334713
7	671mm	334627	334656	334684	334712
6	581mm	334626	334655	334683	334711
5	491mm	334625	334654	334682	334710
4	401mm	334624	334653	334681	334709
3	311mm	334623	334652	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 102mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Surfmist




LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.




TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS



102 SERIES

HANDLE:
RING PULL

COLOUR: HANDLE, TRIM & GALLERY
SURFMIST

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	334765	334794	334822	334850
30	2741mm	334764	334793	334821	334849
29	2651mm	334763	334792	334820	334848
28	2561mm	334762	334791	334819	334847
27	2471mm	334761	334790	334818	334846
26	2381mm	334760	334789	334817	334845
25	2291mm	334759	334788	334816	334844
24	2201mm	334758	334787	334815	334843
23	2111mm	334757	334786	334814	334842
22	2021mm	334756	334785	334813	334841
21	1931mm	334755	334784	334812	334840
20	1841mm	334754	334783	334811	334839
19	1751mm	334753	334782	334810	334838
18	1661mm	334752	334781	334809	334837
17	1571mm	334751	334780	334808	334836
16	1481mm	334750	334779	334807	334835
15	1391mm	334749	334778	334806	334834
14	1301mm	334748	334777	334805	334833
13	1211mm	334747	334776	334804	334832
12	1121mm	334746	334775	334803	334831
11	1031mm	334745	334774	334802	334830
10	941mm	334744	334773	334801	334829
9	851mm	334743	334772	334800	334828
8	761mm	334742	334771	334799	334827
7	671mm	334741	334770	334798	334826
6	581mm	334740	334769	334797	334825
5	491mm	334739	334768	334796	334824
4	401mm	334738	334767	334795	334823
3	311mm	334737	334766	N/A	N/A

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever, blade clips and trim is: Surfmist



RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



Left Hand



Right Hand

TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

NO. OF BLADES	GALLERY HEIGHT
31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

102 SERIES

HANDLE:
RING PULL

COLOUR: HANDLE, TRIM & GALLERY
SURFMIST

LOCKING

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	334879	334908	334936	334964
30	2741mm	334878	334907	334935	334963
29	2651mm	334877	334906	334934	334962
28	2561mm	334876	334905	334933	334961
27	2471mm	334875	334904	334932	334960
26	2381mm	334874	334903	334931	334959
25	2291mm	334873	334902	334930	334958
24	2201mm	334872	334901	334929	334957
23	2111mm	334871	334900	334928	334956
22	2021mm	334870	334899	334927	334955
21	1931mm	334869	334898	334926	334954
20	1841mm	334868	334897	334925	334953
19	1751mm	334867	334896	334924	334952
18	1661mm	334866	334895	334923	334951
17	1571mm	334865	334894	334922	334950
16	1481mm	334864	334893	334921	334949
15	1391mm	334863	334892	334920	334948
14	1301mm	334862	334891	334919	334947
13	1211mm	334861	334890	334918	334946
12	1121mm	334860	334889	334917	334945
11	1031mm	334859	334888	334916	334944
10	941mm	334858	334887	334915	334943
9	851mm	334857	334886	334914	334942
8	761mm	334856	334885	334913	334941
7	671mm	334855	334884	334912	334940
6	581mm	334854	334883	334911	334939
5	491mm	334853	334882	334910	334938
4	401mm	334852	334881	334909	334937
3	311mm	334851	334880	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 102mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Surfmist




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

NO. OF BLADES	GALLERY HEIGHT
31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

102 SERIES

HANDLE:
RING PULL

COLOUR: HANDLE, TRIM & GALLERY
SURFMIST

RESTRICTION

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	334993	335022	335050	335078
30	2741mm	334992	335021	335049	335077
29	2651mm	334991	335020	335048	335076
28	2561mm	334990	335019	335047	335075
27	2471mm	334989	335018	335046	335074
26	2381mm	334988	335017	335045	335073
25	2291mm	334987	335016	335044	335072
24	2201mm	334986	335015	335043	335071
23	2111mm	334985	335014	335042	335070
22	2021mm	334984	335013	335041	335069
21	1931mm	334983	335012	335040	335068
20	1841mm	334982	335011	335039	335067
19	1751mm	334981	335010	335038	335066
18	1661mm	334980	335009	335037	335065
17	1571mm	334979	335008	335036	335064
16	1481mm	334978	335007	335035	335063
15	1391mm	334977	335006	335034	335062
14	1301mm	334976	335005	335033	335061
13	1211mm	334975	335004	335032	335060
12	1121mm	334974	335003	335031	335059
11	1031mm	334973	335002	335030	335058
10	941mm	334972	335001	335029	335057
9	851mm	334971	335000	335028	335056
8	761mm	334970	334999	335027	335055
7	671mm	334969	334998	335026	335054
6	581mm	334968	334997	335025	335053
5	491mm	334967	334996	335024	335052
4	401mm	334966	334995	335023	335051
3	311mm	334965	334994	N/A	N/A

NON-STOCKED ITEMS

RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Surfmist




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

NO. OF BLADES	GALLERY HEIGHT
31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

102 SERIES

HANDLE:
RING PULL

COLOUR: HANDLE, TRIM & GALLERY
SURFMIST

LOCKING + RESTRICTED

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	335107	335136	335164	335192
30	2741mm	335106	335135	335163	335191
29	2651mm	335105	335134	335162	335190
28	2561mm	335104	335133	335161	335189
27	2471mm	335103	335132	335160	335188
26	2381mm	335102	335131	335159	335187
25	2291mm	335101	335130	335158	335186
24	2201mm	335100	335129	335157	335185
23	2111mm	335099	335128	335156	335184
22	2021mm	335098	335127	335155	335183
21	1931mm	335097	335126	335154	335182
20	1841mm	335096	335125	335153	335181
19	1751mm	335095	335124	335152	335180
18	1661mm	335094	335123	335151	335179
17	1571mm	335093	335122	335150	335178
16	1481mm	335092	335121	335149	335177
15	1391mm	335091	335120	335148	335176
14	1301mm	335090	335119	335147	335175
13	1211mm	335089	335118	335146	335174
12	1121mm	335088	335117	335145	335173
11	1031mm	335087	335116	335144	335172
10	941mm	335086	335115	335143	335171
9	851mm	335085	335114	335142	335170
8	761mm	335084	335113	335141	335169
7	671mm	335083	335112	335140	335168
6	581mm	335082	335111	335139	335167
5	491mm	335081	335110	335138	335166
4	401mm	335080	335109	335137	335165
3	311mm	335079	335108	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 102mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

The handle/lever, blade clips and trim is: Surfmist




RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.




TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS



102 SERIES

HANDLE:
AUTO

COLOUR: HANDLE, TRIM & GALLERY
SURFMIST

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes		LH No Holes	
31	2831mm	325839		325867	
30	2741mm	325838		325866	
29	2651mm	325837		325865	
28	2561mm	325836		325864	
27	2471mm	325835		325863	
26	2381mm	325834		325862	
25	2291mm	325833		325861	
24	2201mm	325832		325860	
23	2111mm	325831		325859	
22	2021mm	325830		325858	
21	1931mm	325829		325857	
20	1841mm	325828		325856	
19	1751mm	325827		325855	
18	1661mm	325826		325854	
17	1571mm	325825		325853	
16	1481mm	325824		325852	
15	1391mm	325823		325851	
14	1301mm	325822		325850	
13	1211mm	325821		325849	
12	1121mm	325820		325848	
11	1031mm	325819		325847	
10	941mm	325818		325846	
9	851mm	325817		325845	
8	761mm	325816		325844	
7	671mm	325815		325843	
6	581mm	325814		325842	
5	491mm	325813		325841	
4	401mm	325812		325840	
3	311mm	N/A		N/A	

NON-STOCKED ITEMS

COLOUR & TRIM

The handle/lever, blade clips and trim is: Surfsmist



AUTO LOUVRE

Hidden within the gallery framing the Auto Louvre powered and controlled by a 24V DC plug and play control unit allows users to open and close the Louvres with a press of a button. Motor is always on left hand side.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

102 SERIES

HANDLE:
LOW PROFILE

COLOUR: GALLERY CHANNEL
CLEAR ANODISED

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	335221	335250	335278	335306
30	2741mm	335220	335249	335277	335305
29	2651mm	335219	335248	335276	335304
28	2561mm	335218	335247	335275	335303
27	2471mm	335217	335246	335274	335302
26	2381mm	335216	335245	335273	335301
25	2291mm	335215	335244	335272	335300
24	2201mm	335214	335243	335271	335299
23	2111mm	335213	335242	335270	335298
22	2021mm	335212	335241	335269	335297
21	1931mm	335211	335240	335268	335296
20	1841mm	335210	335239	335267	335295
19	1751mm	335209	335238	335266	335294
18	1661mm	335208	335237	335265	335293
17	1571mm	335207	335236	335264	335292
16	1481mm	335206	335235	335263	335291
15	1391mm	335205	335234	335262	335290
14	1301mm	335204	335233	335261	335289
13	1211mm	335203	335232	335260	335288
12	1121mm	335202	335231	335259	335287
11	1031mm	335201	335230	335258	335286
10	941mm	335200	335229	335257	335285
9	851mm	335199	335228	335256	335284
8	761mm	335198	335227	335255	335283
7	671mm	335197	335226	335254	335282
6	581mm	335196	335225	335253	335281
5	491mm	335195	335224	335252	335280
4	401mm	335194	335223	335251	335279
3	311mm	335193	335222	N/A	N/A

NON-STOCKED ITEMS

COLOUR & TRIM

Gallery Channel is:
Clear Anodised



The handle/lever, blade clips and trim is: Silver

LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



Left Hand



Right Hand

TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

HANDLE:
LOW PROFILE

COLOUR: GALLERY CHANNEL
CLEAR ANODISED

LOCKING

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	335335	335364	335392	335420
30	2741mm	335334	335363	335391	335419
29	2651mm	335333	335362	335390	335418
28	2561mm	335332	335361	335389	335417
27	2471mm	335331	335360	335388	335416
26	2381mm	335330	335359	335387	335415
25	2291mm	335329	335358	335386	335414
24	2201mm	335328	335357	335385	335413
23	2111mm	335327	335356	335384	335412
22	2021mm	335326	335355	335383	335411
21	1931mm	335325	335354	335382	335410
20	1841mm	335324	335353	335381	335409
19	1751mm	335323	335352	335380	335408
18	1661mm	335322	335351	335379	335407
17	1571mm	335321	335350	335378	335406
16	1481mm	335320	335349	335377	335405
15	1391mm	335319	335348	335376	335404
14	1301mm	335318	335347	335375	335403
13	1211mm	335317	335346	335374	335402
12	1121mm	335316	335345	335373	335401
11	1031mm	335315	335344	335372	335400
10	941mm	335314	335343	335371	335399
9	851mm	335313	335342	335370	335398
8	761mm	335312	335341	335369	335397
7	671mm	335311	335340	335368	335396
6	581mm	335310	335339	335367	335395
5	491mm	335309	335338	335366	335394
4	401mm	335308	335337	335365	335393
3	311mm	335307	335336	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 102mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



COLOUR & TRIM

Gallery Channel is:
Clear Anodised



The handle/lever, blade clips and trim is: Silver


LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

HANDLE:
LOW PROFILE

COLOUR: GALLERY CHANNEL
CLEAR ANODISED

RESTRICTION

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	335449	335478	335506	335534
30	2741mm	335448	335477	335505	335533
29	2651mm	335447	335476	335504	335532
28	2561mm	335446	335475	335503	335531
27	2471mm	335445	335474	335502	335530
26	2381mm	335444	335473	335501	335529
25	2291mm	335443	335472	335500	335528
24	2201mm	335442	335471	335499	335527
23	2111mm	335441	335470	335498	335526
22	2021mm	335440	335469	335497	335525
21	1931mm	335439	335468	335496	335524
20	1841mm	335438	335467	335495	335523
19	1751mm	335437	335466	335494	335522
18	1661mm	335436	335465	335493	335521
17	1571mm	335435	335464	335492	335520
16	1481mm	335434	335463	335491	335519
15	1391mm	335433	335462	335490	335518
14	1301mm	335432	335461	335489	335517
13	1211mm	335431	335460	335488	335516
12	1121mm	335430	335459	335487	335515
11	1031mm	335429	335458	335486	335514
10	941mm	335428	335457	335485	335513
9	851mm	335427	335456	335484	335512
8	761mm	335426	335455	335483	335511
7	671mm	335425	335454	335482	335510
6	581mm	335424	335453	335481	335509
5	491mm	335423	335452	335480	335508
4	401mm	335422	335451	335479	335507
3	311mm	335421	335450	N/A	N/A

NON-STOCKED ITEMS

RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

Gallery Channel is:
Clear Anodised



The handle/lever, blade clips and trim is: Silver


LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

HANDLE:
LOW PROFILE

COLOUR: GALLERY CHANNEL
CLEAR ANODISED

LOCKING + RESTRICTED

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	335563	335592	335620	335648
30	2741mm	335562	335591	335619	335647
29	2651mm	335561	335590	335618	335646
28	2561mm	335560	335589	335617	335645
27	2471mm	335559	335588	335616	335644
26	2381mm	335558	335587	335615	335643
25	2291mm	335557	335586	335614	335642
24	2201mm	335556	335585	335613	335641
23	2111mm	335555	335584	335612	335640
22	2021mm	335554	335583	335611	335639
21	1931mm	335553	335582	335610	335638
20	1841mm	335552	335581	335609	335637
19	1751mm	335551	335580	335608	335636
18	1661mm	335550	335579	335607	335635
17	1571mm	335549	335578	335606	335634
16	1481mm	335548	335577	335605	335633
15	1391mm	335547	335576	335604	335632
14	1301mm	335546	335575	335603	335631
13	1211mm	335545	335574	335602	335630
12	1121mm	335544	335573	335601	335629
11	1031mm	335543	335572	335600	335628
10	941mm	335542	335571	335599	335627
9	851mm	335541	335570	335598	335626
8	761mm	335540	335569	335597	335625
7	671mm	335539	335568	335596	335624
6	581mm	335538	335567	335595	335623
5	491mm	335537	335566	335594	335622
4	401mm	335536	335565	335593	335621
3	311mm	335535	335564	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 102mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

Gallery Channel is:
Clear Anodised



The handle/lever, blade clips and trim is: Silver


LOW PROFILE HANDLE

The perfect all-rounder suited to galleries with blinds or curtains installed or high out of reach windows that require a hook rod to operate. Recommended blade spans of up to 900mm.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF
BLADES

GALLERY
HEIGHT

3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

102
SERIES

HANDLE:
RING PULL

COLOUR: GALLERY CHANNEL
CLEAR ANODISED

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	335677	335706	335734	335762
30	2741mm	335676	335705	335733	335761
29	2651mm	335675	335704	335732	335760
28	2561mm	335674	335703	335731	335759
27	2471mm	335673	335702	335730	335758
26	2381mm	335672	335701	335729	335757
25	2291mm	335671	335700	335728	335756
24	2201mm	335670	335699	335727	335755
23	2111mm	335669	335698	335726	335754
22	2021mm	335668	335697	335725	335753
21	1931mm	335667	335696	335724	335752
20	1841mm	335666	335695	335723	335751
19	1751mm	335665	335694	335722	335750
18	1661mm	335664	335693	335721	335749
17	1571mm	335663	335692	335720	335748
16	1481mm	335662	335691	335719	335747
15	1391mm	335661	335690	335718	335746
14	1301mm	335660	335689	335717	335745
13	1211mm	335659	335688	335716	335744
12	1121mm	335658	335687	335715	335743
11	1031mm	335657	335686	335714	335742
10	941mm	335656	335685	335713	335741
9	851mm	335655	335684	335712	335740
8	761mm	335654	335683	335711	335739
7	671mm	335653	335682	335710	335738
6	581mm	335652	335681	335709	335737
5	491mm	335651	335680	335708	335736
4	401mm	335650	335679	335707	335735
3	311mm	335649	335678	N/A	N/A

NON-STOCKED ITEMS

COLOUR & TRIM

Gallery Channel is:
Clear Anodised



The handle/lever,
blade clips and
trim is: Silver


RING PULL HANDLE

Generous grip for
operation by hand, and a
large eyelet for use with a
map-rod pole. The perfect
choice for the high and
hard to reach galleries.
Recommended blade
spans of up to **900mm**.



HANDING

Please note
handing is
viewed from
the inside
looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is
different to the standard height of
the gallery, Top Clip Loose offers a
means to customise the height through
modification, effectively setting loose
the very top clip from control. The top
clip is then fixed into place while the rest
of the louvre blades can operate.
To order a non-standard size, choose
next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

HANDLE:
RING PULL

COLOUR: GALLERY CHANNEL
CLEAR ANODISED

LOCKING

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	335791	335820	335848	335876
30	2741mm	335790	335819	335847	335875
29	2651mm	335789	335818	335846	335874
28	2561mm	335788	335817	335845	335873
27	2471mm	335787	335816	335844	335872
26	2381mm	335786	335815	335843	335871
25	2291mm	335785	335814	335842	335870
24	2201mm	335784	335813	335841	335869
23	2111mm	335783	335812	335840	335868
22	2021mm	335782	335811	335839	335867
21	1931mm	335781	335810	335838	335866
20	1841mm	335780	335809	335837	335865
19	1751mm	335779	335808	335836	335864
18	1661mm	335778	335807	335835	335863
17	1571mm	335777	335806	335834	335862
16	1481mm	335776	335805	335833	335861
15	1391mm	335775	335804	335832	335860
14	1301mm	335774	335803	335831	335859
13	1211mm	335773	335802	335830	335858
12	1121mm	335772	335801	335829	335857
11	1031mm	335771	335800	335828	335856
10	941mm	335770	335799	335827	335855
9	851mm	335769	335798	335826	335854
8	761mm	335768	335797	335825	335853
7	671mm	335767	335796	335824	335852
6	581mm	335766	335795	335823	335851
5	491mm	335765	335794	335822	335850
4	401mm	335764	335793	335821	335849
3	311mm	335763	335792	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 102mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



COLOUR & TRIM

Gallery Channel is:
Clear Anodised



The handle/lever, blade clips and trim is: Silver


RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

**102
SERIES**

HANDLE:
RING PULL

COLOUR: GALLERY CHANNEL
CLEAR ANODISED

RESTRICTION

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	335905	335934	335962	335990
30	2741mm	335904	335933	335961	335989
29	2651mm	335903	335932	335960	335988
28	2561mm	335902	335931	335959	335987
27	2471mm	335901	335930	335958	335986
26	2381mm	335900	335929	335957	335985
25	2291mm	335899	335928	335956	335984
24	2201mm	335898	335927	335955	335983
23	2111mm	335897	335926	335954	335982
22	2021mm	335896	335925	335953	335981
21	1931mm	335895	335924	335952	335980
20	1841mm	335894	335923	335951	335979
19	1751mm	335893	335922	335950	335978
18	1661mm	335892	335921	335949	335977
17	1571mm	335891	335920	335948	335976
16	1481mm	335890	335919	335947	335975
15	1391mm	335889	335918	335946	335974
14	1301mm	335888	335917	335945	335973
13	1211mm	335887	335916	335944	335972
12	1121mm	335886	335915	335943	335971
11	1031mm	335885	335914	335942	335970
10	941mm	335884	335913	335941	335969
9	851mm	335883	335912	335940	335968
8	761mm	335882	335911	335939	335967
7	671mm	335881	335910	335938	335966
6	581mm	335880	335909	335937	335965
5	491mm	335879	335908	335936	335964
4	401mm	335878	335907	335935	335963
3	311mm	335877	335906	N/A	N/A

NON-STOCKED ITEMS

RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

Gallery Channel is:
Clear Anodised



The handle/lever, blade clips and trim is: Silver


RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS

**102
SERIES**

HANDLE:
RING PULL

COLOUR: GALLERY CHANNEL
CLEAR ANODISED

LOCKING + RESTRICTED

31	2831mm
30	2741mm
29	2651mm
28	2561mm
27	2471mm
26	2381mm
25	2291mm
24	2201mm
23	2111mm
22	2021mm
21	1931mm
20	1841mm
19	1751mm
18	1661mm
17	1571mm
16	1481mm
15	1391mm
14	1301mm
13	1211mm
12	1121mm
11	1031mm
10	941mm
9	851mm
8	761mm
7	671mm
6	581mm
5	491mm
4	401mm
3	311mm

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes	RH No Holes	LH No Holes	RH No Holes
31	2831mm	336019	336048	336076	336104
30	2741mm	336018	336047	336075	336103
29	2651mm	336017	336046	336074	336102
28	2561mm	336016	336045	336073	336101
27	2471mm	336015	336044	336072	336100
26	2381mm	336014	336043	336071	336099
25	2291mm	336013	336042	336070	336098
24	2201mm	336012	336041	336069	336097
23	2111mm	336011	336040	336068	336096
22	2021mm	336010	336039	336067	336095
21	1931mm	336009	336038	336066	336094
20	1841mm	336008	336037	336065	336093
19	1751mm	336007	336036	336064	336092
18	1661mm	336006	336035	336063	336091
17	1571mm	336005	336034	336062	336090
16	1481mm	336004	336033	336061	336089
15	1391mm	336003	336032	336060	336088
14	1301mm	336002	336031	336059	336087
13	1211mm	336001	336030	336058	336086
12	1121mm	336000	336029	336057	336085
11	1031mm	335999	336028	336056	336084
10	941mm	335998	336027	336055	336083
9	851mm	335997	336026	336054	336082
8	761mm	335996	336025	336053	336081
7	671mm	335995	336024	336052	336080
6	581mm	335994	336023	336051	336079
5	491mm	335993	336022	336050	336078
4	401mm	335992	336021	336049	336077
3	311mm	335991	336020	N/A	N/A

NON-STOCKED ITEMS

LOCKING

The 102mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



RESTRICTED

Ventus Louvres can be supplied fitted with an internal device to restrict the opening to less than 125mm and sustain 250N load. The device is not accessible once the gallery is installed in the frame.



COLOUR & TRIM

Gallery Channel is:
Clear Anodised



The handle/lever, blade clips and trim is: Silver


RING PULL HANDLE

Generous grip for operation by hand, and a large eyelet for use with a map-rod pole. The perfect choice for the high and hard to reach galleries. Recommended blade spans of up to **900mm**.



HANDING

Please note handing is viewed from the inside looking out.




TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



VENTUS LOUVRE ORDERING CHARTS



102 SERIES

HANDLE:
AUTO

COLOUR: GALLERY CHANNEL
CLEAR ANODISED

NO. OF BLADES	GALLERY HEIGHT	Full Height Galleries		Galleries with TCL	
		LH No Holes		LH No Holes	
31	2831mm	336132		336160	
30	2741mm	336131		336159	
29	2651mm	336130		336158	
28	2561mm	336129		336157	
27	2471mm	336128		336156	
26	2381mm	336127		336155	
25	2291mm	336126		336154	
24	2201mm	336125		336153	
23	2111mm	336124		336152	
22	2021mm	336123		336151	
21	1931mm	336122		336150	
20	1841mm	336121		336149	
19	1751mm	336120		336148	
18	1661mm	336119		336147	
17	1571mm	336118		336146	
16	1481mm	336117		336145	
15	1391mm	336116		336144	
14	1301mm	336115		336143	
13	1211mm	336114		336142	
12	1121mm	336113		336141	
11	1031mm	336112		336140	
10	941mm	336111		336139	
9	851mm	336110		336138	
8	761mm	336109		336137	
7	671mm	336108		336136	
6	581mm	336107		336135	
5	491mm	336106		336134	
4	401mm	336105		336133	
3	311mm	N/A		N/A	

NON-STOCKED ITEMS

COLOUR & TRIM

Gallery Channel is:
Clear Anodised



The handle/lever,
blade clips and
trim is: Silver

AUTO LOUVRE

Hidden within the gallery framing the Auto Louvre powered and controlled by a 24V DC plug and play control unit allows users to open and close the Louvres with a press of a button. Motor is always on left hand side.



TCL - TOP CLIP LOOSE

Where the height of the opening is different to the standard height of the gallery, Top Clip Loose offers a means to customise the height through modification, effectively setting loose the very top clip from control. The top clip is then fixed into place while the rest of the louvre blades can operate. To order a non-standard size, choose next standard size up.



CAPRAL
ALUMINIUM

POWERED BY



WINNER - 2019
Most Innovative
Window System



Download the Capral Hub App
for all the latest aluminium
window and door product data.

1800 ALUMINIUM (258 646)
capral.com.au
Capral Limited ABN 78 004 213 692